

Imprimatur.

Joh. Clerk, *Præses.*

Mauritius Williams, *Eq.*
Aurat, Censor.

Georg. Ent, *Censor.*

Jo. Micklethwait, *Censor.*

Ahasuerus Regemorter.
Censor.

Imprimatur.

Joh. Clerk, *Præses.*

Mauritius Williams, *Eq.*
Aurat, Censor.

Georg. Ent, *Censor.*

Jo. Micklethwait, *Censor.*

Ahasuerus Regemorter.
Censor.

Phytologia Britannica,

NATALES EXHIBENS
Indigenarum stirpium sponte
Emergentium.

Τόπος ἐνδοθ, καὶ ἐκδοθ, καὶ ἀεθατεύσμεθ, ἃ φθονοῦν
πῶς αὐτοματιζον.



LONDINI,
Typis RIC. COTES, Impensis OCTAVIANI
PULLEYN, Bibliopole in Cæmeterio
st. Pauli. 1650. η

EDITHA L. TAYLOR

1894

1895

1896


1897

970211

1898

1899

7



Viris Apollineis.

I*O Ambarvalia! illi-
batum inspicite leno-
cinium! ut antrum
racemis sparsit labrusca! hic
inter ulmos corylis locamur
mistas, ubi castaneæ hirsu-
tæ, & suffimine Juniperus
rorata. Floret ager pampineo
A 4 gravidus*

Pl. l. 22.
c. 6.

gravidus autumno. Numen
ne quid ultra ageret homi-
nem, *καὶ ἐν παραδείσῳ τὰς αἰνὰς ἀμβροσίας*,
dederat quas diximus mol-
les, cibisque gratas, pinxerat
remedia in floribus, visuque
ipso animos invitaverat, eti-
am delitiis auxilia permi-
scens. Inde excogitavit ali-
quas aspectu hispidas, tactu
truces, ut tantū non vocem ip-
sius fingentis illas, rationem-
que reddentis exaudire vi-
deamur, ne se depascat avida
quadrupes, ne procaces manus
rapi-

rapiant, ne neglecta vesti-
gia obterant, ne insidens ales
infringat; his muniendo a-
culeis, telisque armando, re-
mediis ut tuta ac salva sint:
ita hoc quoque quod in iis o-
dimus hominum causâ exco-
gitatum est.

Arbustum ne gry brumales
veretur compedes sacrationi
Phœbi consitum dextera, ex
infracta ubertim germinat
gleba; quos digeris palmites,
genio defraudati labascunt
mangonio. Non comptiores
gru-

grumuli tapeti, tonfileve bux-
etum, quadras neque sollicita-
mus hortensias variegatis su-
perbientes advenis; spontane-
as Pomona colostro fovet
proles, numquid conductitia
suaviora ubera? Medorum
sylvæ! Bactra! totaque arenis
thuriferis Panchaia aure
hujus cedunt blanditiis!

Vitiantur gummi Arabi-
cum, Camphora, Styrax, Opi-
um, Agaricum, Scammoni-
um, cui jam notum Amomum
verum? Opobalsamum? aut
uni-

unicornu decantatum Alas Zithetion?
itinere multum de profapia
deponere comperies. Sua do-
mi reperiuntur morbis inqui-
linis Pharmaca. Singulas Ju-
piter sanabiles cudit plagas,
nec advectas rubro de littore
merces voluit expectandas, ut
neque ante vulgatas Indias
minus propitius fuerit.

Absterget hæc palæstra nau-
seam, habent sua dulcia glau-
ca fronde canentia salicta, re-
solutis spiritibus Napææ
suggerunt cadurcum, Ipsa ter-
ra

*ra vermiculata stibadia. ripis
labuntur undæ, fontesque ma-
nante lymphæ strepitum edunt
invitantem soporem, post hæc
Alundæ requieta suscitant
vernantes organa, tota vita
bylæa harmonia.*

*Quod ad spurcos Tempe
Mimos acedia succollante la-
borantes, primo flagellis de-
bellandos, foris emancipantes
rad: Levistic: Mitbrid. pro
Mei, semen Petrosel: Ma-
ced: Fuch: Theriac: Andr:
pro Ammeos; interim chelido-
nium*

nium birundines fatentur
²⁰⁷⁰²⁴⁵⁰⁷ suum hieracium ' Ac-
' cipitres signaturas pbysiog-
' nomicas plantis inussit sum-
' mus naturæ parens, & ipsis
' quasi tot emblemata, & cha-
' racteres insculpsit, non mo-
' do occultarum suarum viri-
' um indices, & notas, sed
' partium quibus inseruiunt
' figuras, & expressas imagi-
' nes jucundissimâ similitudi-
' ne referentes. satis vindictæ
sese deridendos rbizotomis
præbentes, Istæ enim Ambu-
baia

baiae tenentes vappas aliquid
ipsis audeant imponere.

Nec minus vegetabilium
pandectæ vernaculo stupratæ
cultu, in votis non est & vel
heroïnas polire seplasis, acu-
pictos jactitent peristromate
surculos, in melitæos vadant
catellos Alcoranum, Dispen-
satorium, nostro latrantes idi-
omate.

Eorum tempora celebranda
sertis quorum suppetiis magis
has lustravimus φτυγάνων vindi-
cias. Pullulant præterea Th.
Iohnsoni

Iohnsoni, M. D. typis non
antea dispalata florilegia, bisce
nimirum auspiciis apparatus
crebrescit barbarius, tanta
munera nec si ingratissimus si-
lere valeam, nec si facundissi-
mus dicere: dignum oratorem
invenire non possunt, memo-
rem debeant.

Indigena Flora Mercurio
botanico quadricenas inseruit
comas novissimas. Nil sarmen-
torum, quicquid fertile pro-
duxit Imperium, liquit inex-
ploratum, his capiant quid fa-
miliare

*miliare climati, ut non è lon-
 ginq̃uo quæritent, indigne
 pedibus facilem conculcamus
 prædam. Vobis haud vacat
 colligere quæ impertivit
 virgulta. spirant adhuc cymæ
 narthecia, risuque vestro phy-
 tologia campos induat elysios,
 Δῆοιμεν ἀγλαδὸν ἄλσος Ἀθηνῆς ἄγχι καλυθεῖσσι γείρων,
 dum vultu nubilo in stolones
 migrent, & quisquilias.*

Μύρας δίδωσι τὰς ἀκείδας.

Phytologia



Phytologia Britannica,
Natales exhibens indigenarum
stirpium sponte emergentium.

A.



Bies, in Alpibus Scoticis. *The Firre-Tree.*

Abies marina Clusii, Clusius his Sea Firre, frequently cast on the Sea Shoares. Mr. Stone-house.

Abrotanum campestre, Tab. Ger. Ambrosia tenuifolia, Lob. Artemisia leptophyllos, Gesn. hort. Wild Sothern-wood.

Abrotanum inodorum, Unsavory Sothern-wood, both found on Newmarket heath. Mr. Sare.

Abinthium album umbilicatum, found in Wales. White Tufted Wormwood.

Abinthium marinum repens, Creeping Sea Wormwood.

Abinthium marinum, sive Serephium, ἀψινθιον θαλάσσιον, in salsis & maritimis. Sea Wormwood.

Abſinthium vulgare latifolium, *common Wormwood.*

Acanthium. Matth. Dod. Lob. Spina alba Sylveſtris, *Fuch. ad ſepes & in ſimeticis, the Cotten Thistle.*

Acanthium Illyricum pupureum, *the purple Cotten Thistle.*

Acer majus, *ſive Platanus Scotica, Cardani, plurimis locis juxta ædes nobilium, the great Maple, commonly (yet falſly) the Sycamore-Tree.*

Acer minus, *The common Maple-Tree.*

Acetoſa, ſive Oxalis vulgaris, *ubiq; in pratis, Sorrell.*

Acetoſa ſive Oxalis minima Tragi. Dod. minor Matth. Ovina, Tab. in arvis & pratis ficcioribus, Sheepes Sorrell.

Acetoſella, vide Trifolium acetos.

Acinos Angl. Cluſii. In Montoſis cretaceis, Smal ſtone Baſill.

Acorus noſtras paluſtris, Lob. Iris paluſtris lutea, Tab. Pſeudoiris, Dod. Yallow water flower-de-luce, water flagges, Seggs.

Adiantum album. Lonic. Cam. Tab. Ruta muraria, Dod. Ger. Salvia vitæ, Adverſ. Lob. Ludg. Paronychia, Matth. Saxifragia ſeu Empetron, Fuch, Wall Rue, Tent-woort, on the walls of the Kings walks at Windſor, and on Rocheſter bridge. At Cobham where all the houſes are overgrown with it, Dr. Bowle.

Adi-

Adiantum aureum majus, *Tab. Polytrichum majus*, *Trag. Fuch. in ericetis*, *Great goldy-lockes*, or *golden Maydenhaire*.

Adiantum aureum minus, *Polytrichum minus*, *Trag. Fuch. Musci capillaris altera*, species, *Dod. In muris passim*, *Little Goldy-lockes*.

Adiantum nigrum, *vide Capillus veneris*.

Ægilops, *vide Festuca*.

Ægilops bromoides *Belgarum* *Lob. Ger. in latis* *Bearded wild Oates*.

Agrifolium *Dod. Aquifolium*, *Math. Lob. Tab. Prickly leaved Holly*.

Agrifolium baccis luteis *nondum descriptum*. *By Warder Castle in Wiltshire*, belonging to the *Lord Arundel*.

Agrifolium folio leni, *in sepibus*, *Smooth leaved Holly*.

Agrimonia Off. *Eupatorium Diosc.* *Agrimony*.

Alcea Ægyptia moscata, *Park. Egyptian muske Mallow*.

Alcea minor villosa, *smooth rough hairy Vervaine Mallow*.

Alcea vulgaris *Dod. Lob. Malva verbenaca* *Ger. in sepibus & pratis*, *Vervaine Mallow*, *variat flore alb.*

Alchimilla minor, *Park. (pa. 538.) quinquefolia*; *Cinquefoile*, *Lady mantle*. *in VVombwell Cow-pastures*, and many other places of *Yorke-shire*, *Mr. Stonehouse*.

- Alchimilla *Dod. Lob. Pes leonis Fuch. stel-*
laria Matth. in sylvis & umbrosis. Ladies
mantle.
 Alestorolophos. *Vid. Pedicularis.*
 Alga bombycina, *Bauh. Silken VVrack, e Sco-*
tia eruitur.
 Alga membranacea ceranoides *Bauh. in ma-*
ritimis wrack, duæ species.
 Alkekengi, *vide Solanum vesicarium.*
 Alleluya *vid. Trifolium, Acetosum.*
 Alliaria *Trag. Matth. Fuch. Pes Asini, Pande-*
starii, passim ad sepes. Sauce alone, Iacke by
the hedge.
 Allium Sylvestre latifolium *Dod. Urfinum,*
Fuch. Matth. Lob. in Sylvis & Sepibus,
Ramsens.
 Allium Sylvestre tenuifolium *Lob. Ophio-*
scoridon Matth. in pascuis. Crow-Garlicke.
 Alnus hirsuta vel alnus folio incano *Bauh.*
 Alnus altera *Clus. Shining or hoary leaved*
Alder.
 Alnus nigra baccifera *Tab. Lob. Frangula*
Matth. Dod. in sylvis humidis. The blacke
Alder.
 Alnus vulgaris, *Trag. Matth. Dod. Lob. ad a-*
guas. The Alder or Aller.
 Alopecuros maxima Anglica paludosa *Lob.*
Ger. emac. great Marsh Foxtaile. in the Salt-
Marsh by Eriffe Church in Kent.
 Alsine aquatica Major. *Bauh. Palustris Tab.*
Ger. Great-water Cheekweed. Alsi-

- Alfne Baccifera major, Clusii.** Maxima Thal. Cyclaminus altera Diosc. Cucubalus Plinii. Lug. in sylvis udis. Advers. pag. 204. Berry bearing Chickweed.
- Alfne cochleariæ longæ facie** nondum descripta. Chickweed like the long leaved Scurby-grasse, growing between the two Parks at Eltham on the mud. Dr. Bowle.
- Alfne Corniculata, Clusii,** crescit in parvo sinu dicto, vulgo, Westgate Bay, in Insula Thanet. Horned Chickweed.
- Alfne Cruciata marina vel Alfines genus Pelagicum Clusii.** Anthyllis Prior lentifolia peplios effigie maritima Lob. Sea Pimpernell.
- Alfne fluviatilis, Ger.** River Chickweed.
- Alfne foliis Triflaginis. Lob. Ger.** in arvis & agrorum marginibus. Germaner Chickweed.
- Alfne fontana, Ger.** Fountain Chickweed.
- Alfne foliis veronicæ. Tab. Ger.** Alysson Col. In arvis & tectis. Speedwell Chickweed.
- Alfne hederacea Tab. Ger.** Morfus gallinæ folio hederulæ, Lob. in agris & eorum marginibus. Ivy Chickweed or small Henbit.
- Alfne hederula altera, Ger.** Morfus gallinæ folio hederulæ alter. Lob. Ballote Crispa minor Lugd. in arvis. Great Henbit.
- Alfne hirsuta Myosotis Ad.** Auricula muris quibusdam. Dod. Gal. & Angl. Alfne spuria

- spuria. 3. eidem latine *Alfine hispida*. 1.
Thal. passim. Mouseare, Chickweed.
- Alfine major*. Dod. Lob. Ger. *Maxima*, Lob.
 ad sepes, *Great Chickweed.*
- Alfine marina*, Ger. *Sea Chickweed.*
- Alfine media*, Dod. Ger. *passim ad sepes Middle Chickweed.*
- Alfine minor multicaulis*, Bauh. *minima*,
 Dod. Lob. Ger. *in muris & tectis. Fine Chickweed.*
- Alfine minimum* genus peculiare non descripta.
- Alfine palustris minor serpyllifolia* Bauh.
 Ger. *emac. Creeping water Chickweed.*
- Alfine palustris foliis tenuissimis*, sive *saxifraga* *Palustris alfine folia*, Ger. *emac.*
Small water, Saxifrage. It grows about
Bath and divers other places.
- Alfine Petrea*, Ger. *Stone Chickweed.*
- Alfine recta*, Ger. *Right Chickweed*, locis ad-
 umbrosis.
- Alfine recta triphyllus*, sive *laciniata*, Park.
Upright Chickweed with jagged leaves.
- Alfine rotundifolia*, sive *Portulaca aquatica*,
 Ger. *emac. in palustribus, Water Purslane.*
- Althæa Ibis*, Ger. *Bismalva Malvaviscus*,
 Off. *passim in maritimis, Marsh Mallows.*
- Ammi vulgare*, Dod. Ger. *Bishops-weed* in many
 places, as by the Hedge beyond Green-
 wich in the way to Gravesend. Parkinson,
 pag. 912. Ampe-

Ampeloprasum sive Porrum sylvestre, *Wilde-
leeke* among *Barly neer Bechen-tree be-
twixt Oxford and Banbury*, Mr. Stonehouse.

Anagallis aquatica vulgaris sive Becabunga,
Off. Brooklime.

*Anagallis aquatica major. Ger. Berula ma-
jor. Tab. Great long leaved Brooklime.*

*Anagallis aquatica rotundifolia non cre-
nata, Bauh. Aquat. tertia Lob. Round leaved
water Pimpernel. It grows in the Salt Mar-
shes two miles below Gravesend.*

*Anagallis aquatica quarta, Lob. angustifolia
Bauh. in uliginosis, Narrow leaved Brooke-
lime.*

*Anagallis foemina flore caruleo in arvis sed
rarius, Female Pimpernell.*

*Anagallis lutea Nemorum, Yellow Pimpernell
in Charletowne wood two miles beyond
Greenwich.*

*Anagallis mas flore phœniceo. in agris. Male
red Pimpernell.*

*Anagallis tertia flore albo. Pimpernell with a
white Flowre, in a wood on the South side
of Chislehurst heath, ober against Scadbury.
Parke. Mr. Heaton.*

*Anagyris Foetida, Ger. Stinking Bean-tre-foil,
at Collydon two miles from Blechentree in
Surry.*

*Anchusa Alcibiad. Ger. αγκύρα Fucus herba
Onocl. Buglossa Hispanica, Red Alkanet.*

Anchusa degener, facie *Milii solis*. Lob.

Anchusa arvensis minor, Tab. Lithospermum syl. Trag. inter segetes. *Eastard Grommell*, *Salfern*.

Anchusa lutea. *Yellow Alkanet*, *Infula Thannet*, Ger.

Androsæmum. Dod. *Glymenum Italarum* five *Siciliana*, Lob. *Tutsan*, or *Park-leaves*.

Androsæmum magnum. Ad. Lob. *Ruta sylvestris Hypericoides*, Dod. *Tutsan-Saint-Johns-wort*, or *Great S. Johns Wort*, half a mile on this side *Wulwich*.

Anemone nemorum Ger. forte *λεμωτια* Theoph. *Ranunculus nemorosus*, five *sylvat*. Lob. Clus. The wood *Anemone* or *Wind-floure*.

Anemone tuberosa radic. *Wind-floure* upon *Cotswald hills* neere *Black-Burton* very plentifully, a singular beauty to those barren hills. Mr. Heaton.

Anethum vulg. Park. *Arnser*. *Dill* or *Anet*.

Angelica sativa, Trag. Fuch. Matth. Ger. *Garden Angelica*. Amongst the *Rockes* not farre from *Barwick*.

Angelica sylvestris, in sylvis humidis, *Wild Angelica*.

Anonis, five *Ononis*, *Resta Bovis*, *Remora aratri*. *Kest harrow Petty-whin*, variat flore albo. *Peere Darby*.

Anonis non spinola purpurea, Ger. *Purple*

- ple Rest Harrow without prickles.
 Anonis spinosa lutea minor, The lesser
 yellow prickly Rest-Harrow, Lob. by Bri-
 stow.
 Anthyllis leguminosa. Belgarum. Lob. La-
 gopodium, Tab. in montosis pratis,
 Kidney Vetch, Lady-fingers.
 Antirrhinum arvense minimum. Thal. Cam.
 Little Snap-dragon, or Calves-snoute.
 Antirrhinum. 1. Matth. Medium. Cam.
 Rubrum Arvense, Thalii. In agris.
 Middle Calves-snout, or Snap-dragon.
 Antirrhinum minus flore Linariæ luteum
 inscriptum.
 Aparine passim in sepibus, Goose-grasse, or
 Clivers.
 Aphaca Lob. Dod. Elatine 3. Tab. In
 arvis sed rarius. Yellow Fitchling.
 Aphacoides. vide Lathyrus.
 Apium Offic. sive Paludapium: in uliginosis
 & salis. Smallage.
 Apium sylvestre. sive Thisselium. Ger.
 Uliginosis. Wild Parsly.
 Apium risus, Lob. V. Ranunculus a-
 quat.
 Aquilegia flore cæruleo, Ger. Aquileia
 Fuch. Dod. Aquilina, Matth. Columbine.
 Many about Broadsworth and Hample-
 woods.

Aracus, *Tab. Galega sylvestris*, Dod. passim in pratis & sylvis, *Birdes Tares*.

Aracus *sive Cracca major*, Lob. Ger. in agris. *Strangle-Tare, Tine, Wild-Fetch*.

Aracus *sive Cracca minima*, in agris, *Small wilde Tare*.

Arbutus, *Unedo Theoph.* The *Straw-berry-tree* with dented leaves in the West of Ireland.

Argemone capitulo longiore, Lob. in arvis frequentior, *Long rough headed Poppy*.

Argemone capitulo torulis canulato, *sive Argemone Lacunæ*, Lob. in fatis sed non ubiq; *Bestard wild Poppy*, or rough beaded Poppy.

Argemone lutea Cambrobritannica, Lob. *Park, Yellow wild Poppy of Wales*.

Argentina, Dod. Lob. *Potentilla*, Math. *Anserina Tragi*, passim in areis, *Silver weed, Wild Tansy*.

Aria, *vide Sorbus*.

Aristolochia longa, *Long Berthwort* beyond Redding.

Armerius sylvestris, Dod. *Armeria pratensis* syl. Lob. *Flos Cuculi pratensis Tragi*. *Cariophyllus prat.* Tab. passim in pratis humidis, *Crowflower* and *Wild Williams*.

Armeria flore simplici, *William* with single flower in a Wood beyond Redding.

Armeria prolifera, Ger. *Chiding sweet Williams* in the grounds 'twixt Hampton-Court and Tuddington. Ar-

Armeria syl. altera caliculo foliolis fastigiat
 atis cincto. *Lob. Cariophyllus Praten-*
sis, Ger. emac. Collibus & nonnullis
pascuis, Dept-ford Pinke.

Armeria syl. humilis flore unico rubello.
Armerius flos. 3. Dod. Cariophyllus re-
pens humilis minimus, vulgatissimus,
Lob. Cariophyllus Sylvestris. 1. Clusii in
Collibus & pratis siccioribus, Dwarfse
Pinkes or Maiden Pinkes.

Armoraria five *Lychnis plumaria* mas, flore
 albido elegante, *Wild William* with an
 elegant whitish Flower, by a Ditch in the
 long lane betwixt *Daventry* and *Dove-*
Bridge, in Northamptonshire. Mr. Stonehouse.

Amoraria foemina flore albido elegantiori,
 The female *Wild William* with a more
 elegant whitish Flower neer *Gosworth*
Bridge in Oxfordshire. Mr. Stonehouse.

Armoraria flore pleno. Double flowered wild
Williams, in Netherwood hall grounds in
Darfield Parish in Yorkshire. Mr. Stonehouse.

Artemisia marina, Lob. Ger. folio Lavendu-
lae Clusii. Absinthium latifolium ma-
rinum, Cam. Sea Mugwort.

Artemisia vulgaris, passim in fatis & agro-
rum marginibus, Mugwort.

Arum vulgare, Wake Robin, Cuckow-
pint.

Arundo vulgaris, vallatoria, Lob. palustris
Matth. Common Reed. Arun.

Arundo Anglicana foliis in summitate dissectis *Bauh. Theatro. Bot. pag. 25. English Reed with indented leaves.*

Arundo foliis variegatis nondum descripta. *Reed with variegated leaves by Cuckhold Haven.*

Asarum, Math. Dod. Ger. Asarum *Baccaris, Ad. Lob. Asarabacca* found in *Somersetshire* by *Dr. Lob. Parkins. pag. 267.* and on *Einsam* common in *Oxfordshire.*

Ascyrum, Math. Lob. Hypericum in dumetis 2. *Tragi. S. Peters worte.*

Ascyrum supinum *Clusii* sive villosum palustre, *Bauh. Round leaved S. Peters-wort.* It grows abundantly on a rotten moorish ground not farre from *Southampton.*

Asparagus vulgaris, Sparagus. In the Marshes beyond *Bristow.*

Asperula odorata, Dod. Clusii. Hepatica stellata, Tab. Matrisylva Trag. in Sylvis: VVoodroof.

Asperula cærulea arvensis. Blew VVoodroof.

Asphodelus bulbosus, Gal. Vide Ornithogalum.

Asphodelus Lancastriæ verus, The true Lancashire Asphodell.

Asphodelus minimus luteus, Acorifolius palustris, Lob. Asphodelus Lancastriæ, Ger. Lancashire Asphodill; It grows in a Bog on a heath in the mid-way between Sarisbury and Southampton. Af-

- Asphodelus palustris** carinato folio nondum descriptus. *Small water Asphodill.*
- Asplenium**, *sive* Ceterach; **Scolopendria vera.** *Trag.* Scolopendrium verum. *Loniceri.* In Saxorum crepidinibus & Templorum muris. *Ceterach, Miltewast, Spleenworte.*
- Aster Conyzoides** *Park.* *Fleabane like Starrwort.* In umbrosis.
- Astragalus sylvaticus** *Thalii.* *Wood-pease, or Heath-pease.*
- Atriplex angusto oblongo folio**, *sive* sylvestris **Polygoni** aut **Helxines folio**, *Lob.* in ruderibus. *Narrow leaved Orach.*
- Atriplex marina repens.** *Lob.* *Sea Orach.*
- Atriplex marina** semine lato nondum descripta. *Sea Orach with broad seeds near Harlecham.*
- Atriplex Olida.** *Lob.* *Canina.* *Trag.* *Garosmum.* *Dod.* Juxta semitas in suburbiis, *Stinking Orach, or Notchweed.*
- Atriplex sylvestris folio sinuato candicante**, *Bauh.* *sylvestris vulgaris*, *Ger.* in fimetis & ruderibus. *Common wild Orach.*
- Atriplex sylvestris altera**, *Ger.* cum priorē reperitur. *The other wild Orach.*
- Atriplex syl. latifolia.** *Lob.* *Pes anserinus*, *Fuch.* *Dod.* & *Chenopodium.* 1. *Tab.* cum prioribus. *Goose-foot or Sowbane.*
- Atriplex syl. latifolia acutiore folio** *Bauh.* *Blitum.* 5. *Trag.* *Chenopodium.* 2. *Tab.*

2. *Tab. cum prioribus, The other Goose-foote or Sow-bane.*

Atriplex Syl. five Polyspermon. Ger. Polyspermon Cassani Bassi. Lob. cum prioribus sed rarior. All-seed.

Avena nuda, seritur quibusdam locis. Naked Oates.

Avena vulgaris, ubiq; copiose seritur, & ex femine priore sæpe oritur.

Auricula muris. Vid. Alfine hirsut. & Pilo-sella.

B

B *Acciariis Monspel. Lob. vide Conyza major.*

Ballote, Marrubium nigrum foetidum, ad sepes, Stinking Horehound.

Barbarea, Pseudobunias, Lob. Nasturtium hybernium, Quorund. ad agrorum margines. Winter Cresses.

Bardana, five Lappa major. Personata Fuch. Lob. Great Burr-dock.

Bardana minor, vide Xanthium.

Bardanca Rosea, five Lappa rosea Prod. Bauh. descripta. Rose Burr. on the Bankes side, between the Horse Ferry and the Neat-house near London.

Bedeguar Off. id est, Rosa sylvest. spongiola Pilosa.

Behen album, Monspell. & Offic. Papaver spumcum,

spumeum, Lob. Herba articularis, Tab.
Spatling Poppy, White Batle.

Bella donna, Vid. Solanum Lethale.

Bellis major, Trag. Matth. Consolida me-
 dia vulnerariorum. In pratis, *Great Dai-
 syes, and of some Ox-eye.*

Bellis media, The middle sort of *Daisyes*, Dr.
Johnsons Ms.

Bellis minor vulgaris, Consolida mini-
 ma *Quorund. ubiq. Little Daisyes.*

Berberis. Off. V. Oxyacanthus.

Beta alba vulgaris. In maritimis. *White
 Beete.*

Betonica aquatica. Dod. Lob. Ocymastrum
 majus. Trag. *Water Betony.*

Betonica flore alb. Betony with a white
*flower in Broadsworth wood in Yorkeſhire
 plentifully.*

Betonica Pauli. Vide Veronica.

Betonica Pauli angustiori folio, non de-
 scripta. *Pauls Betony with lesser leaves.*

Betonica vulgaris in Sylvis. Betony.

Betula. Math. Lob. In sylvis humidis, *The
 Birth-tree.*

Betulus Lob. Carpinus, Matth. Ostrya,
*Theophrasti, Clus. In Sylvis. The Hornbean-
 tree.*

Bifolium, vide Ophrys.

Bistorta, Matth. Dod. Serpentaria femina,
*Fuch. in pratis humidis & umbrosis,
 Snakeweede Bistor-*

Bistorta minor Clus. Ger. *Small Bistorte or Snakeweed*, In *Westmerland* at *Crosby*.
Mr. *Ravenstwaith*.

Blattaria flore albo flavescenti nondum descripta. *Mullein with white and yellow flowers*, In *Chaucers Copps*.

Blattaria floribus alb. Lob. in *ficcioribus*.
Mullein with white flowers.

Blattaria flore luteo, sive **Blattaria**, *Plin.*
Lob. *Great Moth Mullein*.

Blattaria flore viridi. *Green Moth Mullein*.

Blitum album syl. minus, *The small wild white Blite*.

Blitum majus alb. *The Great white Blite*.

Blitum polyspermon. *Wild Blite with much seed*.

Blitum rub. *Sylvestre minus*. *The small wild red Blite*.

Bonus Henricus, *Trag. Matth. Tab. Rumicis*,
3. *gen. Fuch. Tota bona* Lob. *Dod. In pratis*
& *simetis*. *Common Mercury, or Allgood*.

Brassica marina monospermos, Lob. *Sea Coleworts*.

Brassica sylvestris, *Trag. Dod. Ger. In maritimis & asperis*. *Wild Coleworts*.

Briza monococcos. *Brant Barly*.

Bromos Sterilis. V. *Festuca*.

Bryon Lactuæ foliis, Lob. *Lactuca marina*
Tab. Lichen marinus, Ger. *Sea Lungwort*
or *Oister-greene*.

Bry-

Bryonia alba, *Dod.* *Vitis alba*, *Matth.* ad sepes, & *Sylvas.* *White Bryony.*

Bryonia nigra, *figillum beatæ Mariæ*, *Off.* *Tamus*, *Dod.* In sylvofis. *Blacke Bryony.*

Buglossa syl. minor. *Dod.* *Ger. emac.* *Echium Germanicum spinosum*, *Fuch.* *Borago sylvestris*, *Trag.* In arvis. *Small wilde Buglosse.*

Buglossum luteum, *Ger.* *Echioides.* *Luteum*, *Lob.* ad agrorum margines, *Langde-beefe.*

Bugula, *Dod.* *Lob.* *Consolida media*, *Matth.* *Fuch. Tab.* In humidis sylvis & pratis. *Bugle.*

Bugula flore alb. *Bugle with a white flowre.* In a Close of Sir Edward Rodes at Haughton in Darfield Parish.

Bugula five Consolida media flore luteo Bauhini, (qui ex Anglia se habuisse affirmat) *Bugle with a yellow flower.*

Bugula five Consolida media, cærulea Alpina. *Bauhini*, *Mountain Bugle* or *Siclewort*: On Carnedd Llewelyn in Wales.

Bulbocastanon, *Dod.* *Nucula terrestris Septentrionalium*, *Lob.* In Collibus. *Earth-nut* or *Ear-nut.*

Bulbocastanum majus, *Ludg.* *Oenanthe* 1. *Matth.* *Bunium*, *Dod.* *Great Earth-nut*; Peere Bruiton in Somersetshire. Mr. Loggings.

Bulbonac V. Viola lunaris.

Banias syl. Vide Napus Sylvestris.

Bupleurum angustifolium, Dod. Tab. Ger.

Herba vulneraria, Trag. Isophyllon,
Cordi. Narrow leaved Hares-ear.

Bupleurum latifolium, Tab. Ger. Broad
leaved Hares-ear, These two are affirmed
by Gerard to grow here, as also by Parkinson.
pag. 578.

Bupleurum minimum nondum descriptum
floribus luteis, The smallest Hares-ear
with yellow flowers: found in Surrey.

Bursa pastoris major, ubique. Shepheards
purse.

Bursa pastoris major foliis non serratis
nondum descripta. Shepheards purse with
leaves not Indented.

Bursa pastoris minor. Little Shepheards
purse.

Buxus in viridariis. Boxe.

C.

CAlamintha aquatica, Matth. Polycne-
mon, Lobelii, Lugd. Ad fossas. Water
Calamint.

Calamintha montana præstantior, Lob.
Ger. Great mountain Calamint; This groweth

eth wild with us according to Lobel, if
rightly cited by Park. pag. 36.

Calamintha montana vulg. *Lob. Offic. Com-*
mon Calamint.

Calamintha pulegii odore, *Nepeta vera An-*
tiquorum, In pratis & Collibus. *Field Cala-*
mint.

Calceolus Mariæ, *Lob. Ger. Elleborine*
ferruginea, Dalechampi, Lugd. Alisma
ωάνδριον aut *κοιλάνδριον. Thal. Ladies*
slipper. In some woods in Lancashire.

Caltha palustris, *Dod. Lob. Tussilago alte-*
ra, Matth. In humidis pratis. Marsh
Marygold.

Caltha palustris minor. The small Marsh
Marygold.

Caltha palustris multiplex, Chamerar. Double
flowered Marsh Marygold. cum priore.

Camelina, Ger. Myagrum Thlaspii effigie,
Lob. Erysimum tertium, Tab. Treacle Worm-
seed. This groweth about one mile from
Redding.

Campanula, vide *Trachelium.*

Campanula Cymbalariae foliis, vel folio
hederaceo, Bauh. Ger. Emac. Tender Ivy-
leaved Bell-flower, Ivy-Bells. Found on a
watery bank, where little or no grass
grew, in a lane near Woodhead in Cheshire.

Campanula hortenensis folio oblongo, five

Medium, Diosc. Matth. Viola Mariana,
Lob. Ger. Coventry Bells. Gerard affirms it
grows wilde by Coventry.

Campanula minor longifolia, five minor
alba & purpurea, Ger. In arenosis colli-
bus. *Small long leaved Bell-flower.*

Campanula minor rotundifolia, Lob. Ra-
punculus sylvestris minor, Tab. In pra-
tis. *Small Bell-flower.*

Cannabis spuria, flore albo. Lamium Quo-
rundam. Ad sepes & in agris. *Wilde
Hempe.*

Cannabis spuria flore pallido, labro pur-
pureo elegante. In fimetis & ruderibus,
Fair flowered Nettle-hempe.

Cannabis spuria tertia. *Small Bastard Hemp.*
Canabis vulg. five foemina Sativa. Seritur in
agris. *Hempe.*

Cannabina aquatica. V. Eupatorium can-
nab.

Capillus veneris, Offic. Polytrichum, Tri-
chomanes. Trag. Matth. Dod. Lob. In sa-
xosis & muris. *Common Mayden-hair.*

Caput gallinaceum Belgarum. Ad. Lob.
Onobrychis, Dod. Clus. Ger. *Medicke
Fitchling or Cockes-head. On the farther
end of Sarisbury Plaine.*

Caprifolium, Offic. Vide Periclymeum.

Cardamine, Ger. altera, Lob. Nasturtium
pratense, Trag. Flos cuculi, Dod. Sisym-
brium

brium aquaticum alterum, Matth. ubiq;
in pratis humidis. *Lady-smocke, or Cuckow-
flower.*

Cardamine altera flo. pleno. Clus. Ger. emac.
prioris sed multo rarior. *Double flowered
Lady-smock.*

Cardamine flosculis minoribus, five impa-
tiens. Sium minimum, Alpini. Sium
minus impatiens, Ger. emac. *Impatient
Cuckow-flower, or Lady-smocke. In rills and
Ditch sides about Bath, and in some other
places.*

Cardamine laciniatis foliis. *Tagg'd leaved
Lady-smocke.*

Cardamine pumila Bellidis folio. Alpina,
Ger. emac. Plantula Cardamines ænula,
Clus. Nasturtium Alpinum bellidis folio
minus, Bauh. *Rock-creffes, or Dwarfed-dashe-
leaved Lady-smocke. On the Rocks neer
the Quarry by Bath.*

Cardamine trifolia, Ger. *Three leaved Lady-
smocke.*

Cardiaca, Matth. Lob. Tabern. Melissa syl-
vestris, Motherwort, Trag. Dr. Johnsons
Ms.

Carduus acaulis, Lob. Carlina minor flore
purpureo, Clus. In montosis & collibus
ficcioribus. *Dwarfed Carline Thistle.*

Carduus arvensis major purpureo flore
(ut etiam albo) qui flore nondum

- nato molichum olet. *Ges. Ger. Muske Thistle.*
- Carduus asininus*, five *Onopyxos*, *Dod. Ludg.* Ad agrorum margines. *Asses Thistle.*
- Carduus eriocephalus*, *Dod. Clus.* *Tomentosus*, *Lob.* *Onopordon Plinii*, *Lugd.* In montosis, sed non ita frequens, ut reliqui. *Wolly-headed Thistle.*
- Carduus lacteus*, *Matth. Mariæ, Trag. Fuch.* *Sylibum*, *Ang.* *Leucographis*, *Plinii*, *Lugd.* Ad agrorum margines. *Milke Thistle.*
- Carduus lanceatus*, five *lanceolatus*, *Tab. Ger.* In pratis. *Spear Thistle.*
- Carduus mariæ hirsutus non maculatus.* Nondum descriptus. *Hairy Lady Thistle*, *Without spots near London.*
- Carduus mollis* flo. cæruleo, an *Carduus mollis foliis Lapathi*, *Clus. Ger. emac.* *Thistle Gentle.* This groweth on the Rocks on the highest part of *Snowdon.*
- Carduus spinosissimus altissimus*, forte *Carduus pulustris*, *Bauh. Tab.* *Heath-thistle.*
- Carduus spinosissimus*, capitulis minoribus five *Polyacantha*. *Lob.* Ad agrorum margines. *Small-welted Thistle*, *variat flore albo.*
- Carduus spinosissimus vulgaris*, *Lob.* *Aculeosa Gaze*, *Adv.* *Polycanthos Theophrasti*,

phraſti, Tab. cum prioribus. Thistle upon Thistle.

Carduus ſtellatus, Dod. ſive Calcitrapa, Eiuſd. & Lob. Juxta ſemitas. Starre-Thiſtle.

Carduus vulgaris, Matth. Carlina ſyl. Dod. Ger. Carthanus ſyl. Lonic. Heracantha, Tab. In montofiſ, Wild Carline Thiſtle.

*Carduus vulgatiffimus radice repente, redve-
dø Theophraſti, Col. Ubiq; nimis fre-
quens. The way Thiſtle.*

Carlina, vid. Carduus acaulis vulg.

*Carpinus, Matth. Ornus Trag. Ofryſ, Theo-
phraſti, Cluſ. Betulus, Lob. In ſylvis. Horn-
beam.*

*Caryophyllata Apina minima. Small Moun-
tain Avenſ.*

*Caryophyllata montana. 1. Cluſii, purpu-
rea, Ger. aquatica mutante flo. Bauh.
Red Mountain Avenſ. In a paſture in
great quantity neer Lynn, belonging to
Mr. Thuſby. Dr. Bowle.*

*Caryophyllata vulgaris, Herba benediſta,
Brunſ. Geum, Turn. Ad ſepes. Avenſ,
Herbe Bennet.*

Caryophyllus. V. Armeria.

*Caryophyllus holauſteus, Ger. Wilde Sea
Pinke.*

*Caryophyllus marinus minimus, Lob. Ger.
Gramen marinum minus, Tab. Armerius
montanus tenuiſolius, Cluſ. Thrift or Sea-
gilliflower.*

Caryophyllus montanus minimus, *sive Caryophyllus pumilio Alpinus*, *Clus. Ger. emac.* *Mosse Pinkes* or *Dwarfe mountaine Pinkes*.

Caryophyllus montanus purpureus, *Ger.* *Wild Purple*, *Jagged Pinke*. *Peere Nottingham between the Towa and the Gallows.* *Mr. Stonehouse.*

Caryophyllus Saxatilis Ericæfolius umbellatis corymbis, *Bauh. Saxifraga Alnefolia major*. *In montosis & asperis.* *Great Pearl-wort.*

Castanie vulg. *In sylvis nonnullis & viridariis.* *Chefnut-tree.*

Catanance Quorund. *Ervum syl. Dod.* *In pratibus.* *Crimson grasse Fetch.*

Caucalis Apii foliis, floribus rubris. *Hedgehogge Persley.* *In the Corn fields about Bath.*

Caucalis major, *Clus.* *Great rough wild Persley.*

Caucalis minor flosculis rubentibus, *Ger. emac.* *ad sepes.* *Hedge Persley.*

Caucalis nodosa echinato sem. *Bauh. Ger. emac.* *Ad agrorum margines.* *Knott'd Persley.*

Caucalis Peucedani folio. *Hogges Persley.*

Caucalis tenuifolius, *sive albis floribus vulgaris*, *Lob. Ger. Daucus arvensis seu exarvensis minor*, *Thal.* *Inter segetes.*

segetes. Hedge-hogge *Persley*, with white flowers.

Cauda equina. V. *Equisetum*.

Cauda murina. V. *Myosuros*.

Centaurium Luteum angustifolium, *Narrow leaved yellow Centory*.

Centaurium Luteum perfoliatum. *Cam.* In montosis & ficcioribus pratis. *Yellow Centory*.

Centaurium minus vulgare, floribus carneis & alb. In pratis & arvis. *Common or little Centory*.

Cerasus avium, *Clus.* nigra & racemosa, *Ger.* In sepibus & sylvis. *Birds Cherry, Black Grape Cherry; In the North, Hedg-berry-tree.*

Cerasus nigra. *The common Black-cherry-tree.*

Cerasus racemosa rubi: *Red grape Cherry-tree.*

Cerasus syl. fructu minimo cordiformi non descripta. *The least wild Heart Cherry-tree*, neere *Stockport*, and in other places of *Cheshire*. *The Country people there call it the Merry-tree. Whence I should thinke it the Merasus of the Hungarians, (mentioned by Clusius Pannon, lib. cap. 24.) had not bee said that hath Black Berries, whereas this hath them of a delayed red; which notwithstanding they*

they may bee feberall species. Mr. Stonehouse.

Cerasus sylvestris, The wild Cherry-tree. In a wood by Bathe.

Ceretolium syl. Tab. Ger. emac. passim ad sepes. Hedge Chervill.

Ceterach, Offic. V. *Asplenium*.

Chamæacte, vide *Ebulus*.

Chamæcistus flore alb. White-dwarfe, *Cistus* or Little Sun flower. In Kent betweene Gravesend and Rochester.

Chamæcistus flo. luteo, vulgaris; *Panax chironium*, sive flos solis, Mattb. Ludg. *Helianthemum*, Lob. *Hyssopus campestris*, Trag. In montosis saxosis. Dwarf *Cistus*, or little Sun-flower.

Chamædryas syl. Clus. Ger. *Teucrium pratense*, Lob. *Verbenaca supina* mas, Dod. ubiq; in pratis. Wild Germanander.

Chamæfilix marina Anglica, Lob. Ludg. *Adiantum* mas, Tab. Sea Mayden-hair.

Chamægenista. Ang. English dwarf *Broome*.

Chamælinum. Dwarf *flax*.

Chamælinum stellatum, Starred dwarf *flax*. Beyond Redding.

Chamæmelum vulgare. In pascuis humidis. Camomill.

Chamæmorus, Ger. Knot-berry bush. Upon Stanemore betweene Yorkeshire and Westmerland.

Cha-

Chamænerion, five *Epilobium*; *Ges. Ger. emac. Onagra Dioscoridis Lugd. Oenothera, Plinii, Baub.* In sylvis humidis. *Rosebay willow-herb, Rose withy, or Willow-flower.*

Chamænerion angustifol. *Narrow leaved Willow herb.*

Chamæpytis, *Iva arthritica*, five *moscata*, *Offic. In arvis. Ground-pine.*

Chelidonium majus, ad sepes. *Great Celandine.*

Chelidonium minus, five *Scrophularia minor*. Ubique in pratis humidis. *Pilewort.*

Chelidonium minus flore pleno nondum descriptum. *Pilewort with a large flower. In Worcestershire, and by Mamsbury in Wiltshire.*

Christophoriana, *Dod. Lob. Ger. Aconitum racemosum, Baub. Herbe Christopher, or Bane-berries.* In the North according to Gerard, by the house of Sir William Bowes.

Chrysanthemum segetum, *Lob. Clus. Bellis major lutea, Trag. In fatis. Corn Marygold.*

Cichoreum fyl. flore cæruleo: In arvis. *Wild Succory. variat flore albo sed rarissime.*

Cicuta vulgaris. *Hemlock.*

Cicu-

Cicutaria alb. *Ludg.* Palustris flore candido, *Cam.* Myrrhis syl. *Fuch.* Ubiq; in locis humidis. *Wild Cicely.*

Cicutaria fatua, *Lob.* Petroselini vitium, *Trag.* *Cicutaria tenuifolia*, *Ger.* Doggespersley.

Cicutaria palustris, *Lob.* *Ger.* Phellandrium, *Plinii*, *Dod.* In aquis. *Wild water Hemlock.*

Circæa Lutetiana, *Lob.* Lappa syl. *Trag.* Herba D. Stephani, *Tab.* In umbrosis & humidis. *Inchanters Nightshade.*

Cirsium Anglicum, *Lob.* *Clus.* *Ger. emac.* Single headed Thistle. *On Bunnish Heath a mile from Reading.*

Cirsium Anglicum minus. *Park.* The lesser single headed Thistle. *In Duckleton Lottes in Berkesbire, Mr. Stonehouse.*

Cissampelos altera *Ang.* minima. *Small blacke Bindweed; Nullo alio insignita nomine.*

Clematis Bætica, *By Waltham Abby.* The Spanish Travellers Ioy.

Clematis Daphnoides minor, *Dod.* *Lob.* Vinca pervinca, *Brunfels & Offic.* In sepibus. *Periwinkle.*

Clinopodium majus, *Park.* Great Wild Basil.

Clinopodium vulgare, *Matth.* *Origanum 4.* *Trag.* In dumetis. *Wild Basil.*

Cly.

Clymenon. Vide. *Androsæmum*.

Cochlearia vulgaris longo & sinuato folio.

Long leaved Sea Scurvy-grasse.

Cochlearia rotundi-folia five *Batava*, Lob.

Round leaved Scurvy-grasse. Plentifully about the Peake in Darbyshire.

Cochlearia vulgaris, five *Britannica vera*,

Plinii: maritimis: Sea Scurvy-grasse.

Cochlearia rotundi-folia minima. Park. The

least round leaved Scurvy-grasse; whose leaves are no broader then an half-penny.

In Anglesey on the Rockes at Landhwin Dwynwen. Mr. Stonehouse.

Colchicum Anglicum flore variegato. Med-

dow Saffron with a variegated flower, In

Mr. William Pickering his close neere his

Parsonage house at Swillington in Yorkshire.

Mr. Stonehouse.

Colchicum commune purpureum, ut etiam

flore albo, sed rarius. Meddow Saffron. In

some meddowes about Bathe, and divers parts of the West Countrey.

Conserua Plinii, Lob. *Hairy Riverweed; 2. aut*

3. species.

Conyza major, Matth. *Baccharis MonsPELLI-*

ensium, Lob. Ger. In montosis. Plow-mans

Spikenard.

Conyza media, Matth. *Calaminthæ 3. genus*

Fuch. In humidis. Middle Fleabane or Flea-wort.

Conyza

Conyza minor, *Trag. Matth. minima*, *Lob. Dod. In aquosis. Dwarfed Fleabane.*

Conyza cærulea acris, *Tinctorius flos alter*, *Trag. Amellus montana*, *Col. In montosis pratis & antiquis muris. Blew flowered Fleabane.*

Conyza foliis laciniatis; five *Conyza Helenitis*, *Mellita Incana*. A stones cast from the East end of Shirley Poole neere Rushie moore belonging to Mr. Darcy Washington. In Yorkefbire. Hoary Fleabane, Mr. Heaton.

Consolida major five *Symphytum majus* flore albo. In aquosis. *Great Comfrey.*

Consolida major flo. purpureo, cum priore. *Great Comfrey with purple flowers.*

Consolida major flore luteo. *Great Comfrey with yellow flowers.*

Consolida regalis, *Tab. Delphinium*, *Gesn. Flos regius*, *Dod. Larkes heele*. In a cornfield by Pershor in Worcestersbire, and thereabout frequently.

Consolida media. V. *Bellis*. & *Bugula*.

Convolvulus major flore albo. *Volubilis major*, *Tab. Trag. Smilax levis*, *Matth. Dod. In sepibus. Great Bindeweed.*

Convolvulus minor flo. purpureo, vel alb. *Lob. Volubilis minor*, *Trag. Helxine cispampelos*, *Matth. Fuch. Smilax levis minor*, *Lob. In agris. Small Bindeweed.*

Con-

Convolvulus minimus spicæ folius, *Ger.*
Lavender leaved Bindeweed. In the fields
 about *Great Dunmow* in *Essex.*

Convolvulus niger, *Dod.* *Orobanche*, *Trag.*
volubilis nigra, *Tab.* *Helxine cissampelos*
altera atriplicis effigie *Lob.* Inter *Segetes*,
Blacke Bindeweed.

Corallina pennata longior. Inter *Scopulos*,
Winged Coralline.

Corallina, ramosa parva, cum priore. *Branch-*
ed Coralline.

Corallum album, *Lob.* *Ger.* In *cautibus ma-*
rinis. *White Corall.*

Cornu cervinum, *Offic.* **Coronophus**, sive
herba Stella, *Matth.* *Lob.* In *maritimis*
hirsutum; In *montosis plerunq;* *gla-*
brum. *Harts borne* or *Buck-horne*, *Plan-*
tain.

Cornus fœmina, *Lob.* *Tab.* *Virga sanguinea*,
Matth. *Dod.* In *dumetis & sepibus.* *Dogge-*
tree.

Coronopus Ruellii, **Cornu Cervi alterum**
vulgi, *Lob.* *Dod.* *Ambrosia*, *Matth.* Ad a-
grorum margines & juxta semitas. *Swines*
Cresses.

Corylus, *The Fillbird-tree.* *Dr. Johnsons*
Mf.

Corylus sylvestris. *Trag.* *Matth.* *Nux avel-*
lana syl. *Fuch.* *Dod.* in *sylvis.* *The haffe*
Nut-tree.

Cotu-

Cotula alba, *Dod.* *Fœtida*, *Lob.* *Parthenium*;
Fuch. Tab. Est etiam non fœtida & flo.
 multiplici. In agris. *Mathes* or *Mayweed*.

Cotyledon aquatica sive acris *Septentrionalium*, *Lob.* In uliginosis: *Water Pennywort*, *White-rot*.

Cotyledon foliis oblongis, *Ger.* *Navell-wort*
with long leaves.

Cotyledon hirsuta, sive *sedum petraeum*,
hirsutum: an *sedum minus*, x. *Clusii Hist.*
Jasme montana, *Dalesch. Lugd.* *Hairy*
Kidney-wort. Upon the moyst Rocks at
Snowdon.

Cracca, vide *Aracus*.

Cratægonon, *Lob.* *Milium sylvaticum*, *Tab.*
Sideritis pratensis lutea, *Lugd.* In sylvis.
Wild Cow-wheat.

Cratægonon Euphrosyne, *Ger.* *Euphrasia*
rub. sive *altera*, *Dod. Lob.* In montosis
 & pratis ficcioribus. *Eyebright Cow-*
wheat.

Crista Galli, vid. *Pedicularis*.

Crithum sive *Fœniculum marinum*. *Sampire*.
 On the white Cliffes on the South
 side of the Isle of *Wight*.

Crithmum. iij. *Matth.* *Crithmum Crysanthimum*
Dod. Tab. Ger. In maritimis & salis.
Golden Sampire.

Crithmum spinosum. *Matth.* *pastinaca marina*
quibusd. *Thorny Sampire*, by *Lee* in
Essex. Cro-

Crocus genuinus, five Sativus. In arvis collitur. *True, or Common Saffron.*

Cruciata, Dod. minor, Lob. Gallium 2. Trag. In dumetis: *Crosswort or Mugwort.*

Cuscuta, Matth. Cassytha, Dod. Lob. in agris & ericetis circa varias plantas. *Dodder.*

Cyanus cæruleus multiflorus. Ger. Double Blew-bottles.

Cyanus minor vulgaris, Matth. Lob. Baptifecula, Trag. Inter segetes: Blew-bottles.

Cyanus purpureus multiflorus, Ger. Double purple Bottles. Variat flore albo.

Cymbalaria, Matth. Lob. Ger. Emac. Bastard Navelwort. About Hatfield in Hartfordshire, and divers parts of Lancashire. Parkins. pag. 681.

Cynocrambe, Mercurialis syl. mas & foemina: in sylvis & sepibus. Dogges-mercury.

Cynoglossum majus vulgare, passim ad agrorum margines: Great Hounds-tongue.

Cynoglossum minus folio virente Ger. emac. ad agrorum margines, sed rarius. Small Hounds-tongue.

Cynosorchis minor Pannonica, Clusit. The lesser Austrian Dogs stones. On Scosby-lease, Mr. Stonehouse.

Cynosorchis, vide Orchis.

Cyperus gramineus milliaceus, Lob. Ger. *emac.* In aquosis. Millet *Cyperus grasse.*

Cyperus rotundus, inodorus septentrionalium, Lob. rotundus littoreus. Ger. *emac.* frequens in maritimis : Round Salt marsh, *Cyperus.* Duæ aliæ species, apud Park.

Cyperus longus inodorus, vulg. Park. *Unsavory Cyperus with long rootes.*

D.

DAucus vulgaris, Offic. Pastinaca sylvestris tenuifolia, Dod. Ger. In agris. *Wild Carrot, or Bees-nest.*

Delphinium. V. Consolida regalis.

Dens leonis, Caput Manach. Rostrum porcinum, Taraxacon. Ubique in pratis. *Dandelion.*

Dens leonis angustioribus foliis, Park. *Dandelion with narrow leaves.*

Dens leonis bulbosus, Ger. *Knotty rooted Dandelion.*

Dentaria bulbifera, Lob. Ger. Coralloides, Cord. In sylvis : *Toothed violet.*

Dentaria major, Matth. Lob. Ger. Anblatum, Cor. radix squamata, Thal. *Great Toothwort, or Lungwort.*

Dentaria minor, Matth. *Little Lungwort.* Both grow about Croyden plentifully.

Digitalis

- Digitalis alba*, *White Foxglove*: *By Wulwich*.
Digitalis purpurea, *Dod. Lob. Ephemeris*, *Dioscor.* alia species major, *Col. Campanula sylvest.* *Trag. in ericetis. Fox-glove*.
Dipsacus minor, five *Virga pastoris*, *Matth. ad sepes.* *Shepherds-rod*.
Dipsacus vulgaris, *Labrum Veneris*, ad agrorum margines. *Wild Teasel*, or *Venus Bason*.
Doronicum Romanum, *Gesn. primum*, *Tab. majus*, *Officin.* *Great Doronicum*, or *Mountain Marigold*: *On the high Mountains of Northumberland*.
Draba lutea maxima, *Arabis quorundam*, *Cam. Epit. Perperam Solidago Sarasenica*, *Yellow Cresse*.
Dryopteris Adversar. *Ger. Emac.* *In uliginosis.* *True Oke Fern*.
Dryopteris nigra, *Dod. Onopteris mas*, *Ger. Emac.* an *Adiantum album*, *Advers?* *In umbrosis & asperis.* *Bastard Maidenhaire*.
Dryopteris, *Trag. Tree-Fern*.
Dulcamara, *vid. Solanum lignosum*.

E.

- E**bulus *Chamaeacte*, five *Sambucus humilis*, in agris & cœmeteriis. *Wallwort*, *Dwarfe Elder*, or *Daneweed*.
Echium alterum, *Dod. Lycopsis Angli-*

ca, Lob. in agris siccioribus & muris. *Wall Buglosse.*

Echium flore alb. Vipers Buglosse with white flowers: Peere Oxford.

Echium maritimum, forte Buglossum dulce, ex Insulis Lancastriæ, Park. Sea Buglosse: By the Salt pans between Barwicke, and the Holy Island.

Echium vulgare. Vipers Buglosse.

Elæagnus, Cordi. Lob. Chamæliagnus, Dod. Gagel. Germanorum, Myrtus Brabantica, Ger. In humidis & uliginosis sed non ubique. Gaule Sweet Willew, Dutch Mirtle.

Elaphoboscum erraticum, Tab. Pastinaca sylvestris, Dod. ad agrorum margines. Wild Parsenep.

Elatine flore cæruleo, folioque acuminato, Park. Cornered Fluellin with blew flowers.

Elatine folio acuminato, Matth. Altera, Dod. Lob. Ger. Inter segetes & agrorum margines. Sharpe pointed Fluellin.

Elatine folio subrotundo, Diosc. five Veronica fœmina, Fuch. & Dod. Inter segetes. Female Fluellin, or Speedwell.

Elatine Trag. Lappula rusticorum Lugd. Cynoglossum minus, Bauh. Dogges-Burre. Vix semipalmaris in Anglia reperitur, Bauh. Pin. pag. 257. N. x.

Emula

- Enula campana**, *Offic. five Helenium*, in humidis pratis. *Elecampane.*
- Epierica**, *Dodder of Heath.*
- Epigenista spinosa**, *Dodder of Furzs.*
- Epiurtica**, *Dodder of Nettles.*
- Equisetum arvense** longioribus fetis , five *segetale*, *Ger. Corne Horsetail.*
- Equisetum foetidum** sub aquis repens, *Bauh. Stinking water Horsetaile.*
- Equisetum**, five **Hippuris lacustris** foliis mansu arenosis, *Gesn. Hippuris coral-loides*, *Ger. emac. Horsetaile Coralline* : On a Bogge by Smochall, a Wood nigh Bathe.
- Equisetum longissimis foliis**, five *palustre majus*, *Tab. Sylvaticum*, *Ger. In fossis & humidis pratis. Wood Horse-taile.*
- Equisetum minimum**, *Ger. The smallest Horse-taile.*
- Equisetum nudum**, *Ger. Junceum, Trag. In humidis & uliginosis. Naked Horse-taile.*
- Equisetum palustre**, brevioribus foliis. *Horse-taile with small leaves.*
- Equisetum primum**, *Matth. Hippuris major, Dod. Great Horse-taile, or Shave-grasse.*
- Erica baccifera fructu alb.** *Park. White Crack-berries or Crow-berries.*
- Erica baccifera fructu rub.** *Matth. Lob. procumbens, Bauh. Ger. Berry-bearing Heath :*

In Yorkshire moorres, the boyes there call them Crow-berries.

Erica major floribus albis. Heath with white flowers: By Graves-end in Kent.

Erica major flore purpureo, Ger. Lob. In ericetis. Great purple flowered Heath.

Erica pumila Belgarum, Lob. *Scoparia nostras.* The Low Dutch or our Broome Heath.

Erica scoparia altera.

Erica supina, maritima, Prope Portsmouth, ibidem fere loci ubi perpusillus supinus *Lagopus maritimus* oritur. Verba sunt *Lobelii.* Sea Heath.

Erica tennifolia flore albo. White flowered small leaved Heath: Peere Redding, and at Haliwell.

Erica tenuifolia, Ger. *caliculato Unedonis* flo. Lob. cum priore, Small leaved Heath.

Erica vergata sive sexta Clusii, Park. Small upright Heath without branches.

Erica vulgaris, Trag. Ger. Prima, Manth. Dod. In ericetis. Common Heath.

Erigerum, vid. Senecio.

Eruca aquatica, Ger. Water Rocket.

Eruca marina, Lob. *Sinapi marinum Ægyptium,* Alpini: Ad maris littus. Sea-Rocket.

Eruca nasturtia cognita tenuifolia Lob. *Nasturtium Sylvestre.* Clusii, Cressy-Rocket.

Eruca

Eruca palustris minor, *Tab. Sinapi*, 1. genus
 syl. *Fuch.* *Eruca aquatica*, *Ger. Water-*
Rocket.

Eruca sylvestris, *Matth. Dod.* In fissuris mu-
 rorum. *Wild Rocket.*

Eruca sylvestris angustifolia, *Lob. Lugd. Small*
Rocket; *Gerard* saith he found it by *Lam-*
beth Bridge.

Erysimum, *Diosc. V. Irio.*

Erysimum cereale, *V. Fegopyron.*

Eryngium marinum, vulgare. *Ad maris lit-*
tus. Sea-holley, or Eringoes.

Esula exigua, *Trag. Lob. Ger. emac.* Inter se-
 getes. *Dwarfe Esula or Spurge.*

Esula major Germanica, *Ad. Lob. Ger. Tithy-*
malus palustris fruticosus. Cam: Bauh.
Quack-salvers Turbith: Water Spurge. By a
 wood side some mile South of Bathe.

Euonymus, *Theophrasti, Lob. Dod. Carpinus,*
Trag. In sepibus. Spindle-tree, Prick-
wood.

Eupatorium cannabinum foemina Septen-
 trionalium, *Lob. Hepatorium aquatile,*
Dod. Verbena Supina, Trag. In aquosis: va-
riat folio tripartito diviso, & non diviso.
Bastard Agrimony.

Eupatorium cannabinum mas; vulgare,
Matth. Dod. Herba S. Kunigundis, Trag.
Ad rivulos. Water Hempe, or Hempe Agri-
mony.

Eupatorium vulgare, Agrimonia, Offic. In pratis. *Agrimony.*

Euphrasia cærulea, V. Myosotis Scorpioides.

Euphrasia rub. V. Cratægonon Euphrosine.

Euphrosine flore albo. *Eyebright, Cow-wheat with white flowers, Peet Oxford. Mr. Martin.*

Euphrasia Vulgaris, five alba. *Dod. Eye-bright.*

F

Faba major vulgaris, five Phaselus major, *Dod. Seritur in hortis & arvis. Great Garden Beans.*

Faba minor vulgaris, Boona five Phaselus minor, *Dod. Seritur passim in agris. Common Beans.*

Fagus in sylvis & montibus. *The Beech-tree.* I found one much varying in his leaves, some were whole as those of the ordinary, others much jagged or divided. *Mr. Goodyer.*

Farfara. V. Tussilago.

Ferrum equinum filiquis in summitate, *Bauh. Hedyсарum minus, Tab. Horse-shoe: On the Hills about Bathe and betweene Bathe and Marleborow.*

Fego-

Fegopyron, *Dod.* *Erysimum*, *Theophrasti*, *Lob.*
Ocymum cereale, *Clus.* *Fru mentum Sarra-*
cenicum, *Matth.* *Seritur in agris.* *Buck or*
Buck-wheat.

Festuca & Avena Græca, *Lon. Cæs.* *Bromos*
sterilis, *Lob. Ger.* *Ægilops*: 1. *Matth. Tab.*
Ad sepes. *Wild Oates.*

Festuca altera, *Dod.* *Bromos sterilis altera*,
Lob. Ger. *Inter segetes.* *Dranke*, or *small*
Wild Oates.

Filicula fontana mas, *Ger.* *Male Mountaine*
Fern.

Filicula fontana fœmina, *Ger.* *Female Foun-*
taine Fern.

Filicula petræa mas, *Ger. emac.* *Filix saxati-*
lis, 2. *Clusii*, an *Adiantum nigrum*, *Pli-*
nii, *Advers?* *Black Mayden-hair*, or *male dwarf*
stone Fern.

Filicula petræa fœmina, five *Chamæfilix*
marina Anglica, *Ger.* *Female dwarfe stone*
Fern.

Filipendula aquatica. *Vid.* *Oenanthe.*

Filipendula vulgaris, *Oenanthe*, *Fuch. Lob.*
In pratis quibusdam: *Dropwort.*

Filix florida, five *Osmunda regalis*,
In uliginosis. *Water Ferne*, or *Osmond*
royall.

Filix mas aculeata, (*Parkinson*, pag. 1036.)
The prickly Male Ferne: Likewise a kinde
of sweet smelling *Female Ferne* some-
where

where about the *Marquesse* of *Hartford* his
Forrest of *Savernake* in *Wiltshire*; But so
 long since, that I have forgotten both
 the exact place, and whether it any way dif-
 fer in shape from the common, only this
 I remember, that the old *Earl* took so much
 notice of it, that hee caused a fair *Inscrip-*
tion to be made in his *Garden Pond*, at
 his *House* of *Totnam*, neer it, to direct to it.
Mr. Stonehouse.

Filix mas ramosa pinnulis dentatis, Ger. emac. In uliginosis & umbrosis locis. Bran-
ched male Ferne.

Filix mas non ramosa, pinnulis latis, densis,
minutim incisis, Ger. emac. Filix mas,
Matth. Dod. Fuch. Ubique ad sepes. Common
male Ferne.

Filix mas non ramosa pinnulis angustis
raris, profunde dentatis, Ger. emac. In
locis asperis & umbrosis. Rocke male
Ferne.

Filix mas non ramosa pinnulis latis auri-
culatis spinosis, Ger. emac. Ad sepes
in locis saxosis, humidis, umbrosis. Pointed
male Ferne.

Filix petræa elegans nondum descripta.
Rocke Ferne.

Filix ramosa major, sive fœmina, Matth. Dod.
Ger. Ubique in sterilibus. Female Ferne, or
Brakes.

Filix

Filix faxatilis parva, five *Dryopteris candida*, *Dod.* *Adiantum alb.* *Plinii*, *Lob.*

In faxis & muris antiquis. *Wall Ferne.*

Flammula. Vide *Ranunculus flam.*

Flos Adonis, *Lob. Cam. Ger.* *Eranthemum*,
Dod. Inter segetes. *Red Maithes*, *Red Chamomile*, *Rose-a-Ruby.*

Fragaria fructu hispido, *Ger. emac.* *Prickly Strawberry.*

Fragaria minima vesca, five *sterilis*, *Lob. Ger.*
In ericetis. *Barren Strawberry.*

Fragaria vulgaris; In sylvis. *Strawberry.*

Fraxinus vulgaris: ubiq; in sepibus & sylvis. *The Ash tree.*

Fœnum Burgundiacum. Vide *Trifolium.*

Fucus five *Alga Tinctoria*, *Hist. Lugd.* *Dying Red Sea Mosse*; *Peet Bridlington*, on the Hoare. It is so beautifull that it may seem artificiall. *Mr. Stonehouse.*

Fucus marinus rotundus, (quem a forma *Guil.* Broad nominavit) *Ligula marina.* Sea points or laces. On the South side of the Isle of Wight amongst the Rocks.

Fucus maritimus Gallo-Pavonis pennas referens *Baub.* *Sea Wrack* resembling the *Peacockes-Feathers.* *Scopulis adnascitur Scotia.*

Fucus

Fucus Phaeoganoideus & **Polyschides**, *Ger. emac.* *Ex mari.* Sea girdle and hangers.

Fucus spongiosus nodosus, *Ger. emac.* *cum priore*, Sea Ragged Stoffe.

Fumaria alba Latifolia, *claviculata*, *Ger.* **Capnos alba latifolia**, *Lob.* *Ad sepes*, sed rarior. *White broad leaved fumitory.*

Fumaria tenuifolia, *Ger.* *Fine leaved Fumitory.*

Fumaria vulgaris, *in satis.* *Fumitory.*

Fungi esculenti. *Mushromes not poysonous.*

Fungi non esculenti. *Poysonous Mushromes.*

Fungus Ophioglossoides non descriptus. *It is a small slender Mushrome of colour so deep purple, that it seemes to be black about two inches long, and fashioned like the Tongue in the Heart Ophioglosson, but that this is smooth, and not crenated about the edges: I found it on Grassy Ant-hills in a close next Hampoole wood, as one goes from Hutton-Pagnell in Yorkeeshire. Mr. Stonehouse.*

Fungus Sambucinus. *Jewes-eare.*

G.

Galega syl. *Dod.* **V. Aracus**, *Tab.* **Galega** five **Ruta Capraria**, *Matth. Lob.* *Ger.* **Onobrychis**, **Fracastorii.** *Goats-rue.* *In the Meadows by Linton in Cambridge-shire. Park. pag. 418.*

Galeopsis

Galeopsis Dioscor. Clus. Urtica herculea, Tab.
Trag. ad sepes. Hedge-nettle.

Gallium album, Tab. Ger. Palustre, Dod.
White flowered Ladies Bedstraw.

Gallium album minus, Tab. In montosis.
Little white Ladies Bedstraw.

Gallium luteum, Lob. Ger. ubiq; in pratis.
Ladies Bedstraw, Cheese-rening: And in York-
shire Maydens-haire.

Gallium rubro flore, Clus. Hist. Ladies Bed-
straw with Red flowers: Peet Mythead in So-
mersetshire.

Genista flore albo. Park. Broome with a white
flower: At Wombwell Head in Darfeild Pa-
rish. Mr. Stonehouse.

Genista spinosa vulgaris. Furze, Whins,
Gorffe.

Genista vulgaris. Common Broome.

Genistella Anglica spinosa supina, five
Chamæspartum supinum. Non procul
a Castro South Sea Castle. in Comitatu
Southampton, provenit, ubi floret Julio
& Augusto, Spithamæis gracilibus ra-
mulis procumbentibus. Creeping Dwarfse
Furze or Whins.

Genistella, Trag. Dod. Genistella aculeata
Lob. Ger. In ericetis. Needle Furze or Pet-
ty Whin.

Genistella infectoria, Lob. Ger. Genista
tinctoria, Dod. cum priore & in mon-
tosis

tosus pascuis. *Green-weed, Diars-weed, Wood-waxen.*

Genistella five *Chamaespartum rectum*, *spartum* item minus aculeatum rectum flore & acutis spinis sparto supino paribus & similibus inter *spartum majus* *Julio* florens, versus *Porti ostium* invenit *Lobelius*, (*Qui hanc cum priore totidem verbis ad marginem suae Historiae Plantarum Teutonice editae descripsit*) *Dwarf furze* or *Whins*.

Gentiana concava, *Ger. Hollow Fellwort*: In a Wood called *Springe neer Lichbarrough* in *Northamptonshire*.

Gentiana cruciata minor, *Matth. Lob. Tab. Ger. In pratis. Croswort Gentian.*

Gentianella Alpina verna. *Alpes Felwort* of the spring time. In the Mountaines betwixt *Gort* and *Galloway*, abundantly. *Mr. Heaton*.

Gentianella flore albo. *Peet the Devizes*, and by *Hachbury* in *Wiltshire*. *Mr. Loggins*.

Gentianella fugax autumnalis minor, *Ger. In montosis. Bastard or Dwarfse Fellwort*.

Gentianella pratensis Bavarica minutissima, *Can. Fuit plantula in summis montium jugis reperta, si me mea non fallat conjectura, Dwarfse Gentian.*

Geranium arvense, *Tab. 6 Grainum, Dod. Cicutæ*.

Cicutæ folio, Bauh. in agris & fossis gramineis. *Unsavory field Cranes-Bill.*

Geranium arvense flore albo. *Unsavory Cranes Bill with white flowers.*

Geranium batrachoides sive *Gratia dei Germanorum*: In humidis pratis, (*vulgo*) *Crow-foot Cranes bill.*

Geranium columbinum sive *Pes Columbinus*, Dod. Lob. *Geranium*, 2. *Dioscor. Trag. Matth. Fuch.* Ad agrorum margines. Est & ejus altera species foliis majoribus & magis dissectis. *Doves-foot.*

Geranium hæmatodes, sive *sanguinale*, *Red or bloody Cranes-Bill.* It grows about *St. Vincents Rock* nigh *Bristow.*

Geranium repens, *Creeping Cranes-Bill* by *Wallworth.*

Geranium moscatum, Ger. *Musked Cranes-Bill.*

Geranium Rupertianum, sive *herba Roberti*, ad sepes & in umbrosis, *Herbe Robert.*

Geranium Rupertianum majus. Ger. *Great hearb Robert.*

Geranium saxatile, Cam. In muris antiquis & saxorum fissuris. *Rocke Cranes-Bill.*

Gladiolus aquaticus, sive *palustris*, *Cordi, Juncus floridus*, *Matth.* In paludosis. *Water Gladiole.*

Glaſtum

Glaſtum fativum. *Lob. Cam.* Ifatis fativa;
Fuch. Dod. ſeritur quibuſdam agris & a
 ſatione ſponte oritur. *Woade.*

Glaux exigua maritima, *Lob. Blacke Salt-
 wort.*

Glaux Hispanica, *Cluſ. Dioſcoridis. Ger.*
 In montofiſ aridiſ. *Milke Tare, or Wild
 Chich.*

Glaux vulgaris, *Lob. Glycyrrhiza Syl.*
Gefn. Fœnugræcum ſyl. Trag. In mon-
 toſiſ. *Wild Liquorice, or Liquorice Hatchet-
 Fetch.*

Gnaphalium longiore folio Anglicum,
Lob. Ger. In ſylviſ. *Engliſh Cud-weed.*

Gnaphalium marinum, *Lob. Tab. Ger.*
*legitimum. Cluſ. Sea Cotton weed, or Cud-
 weed.*

Gnaphalium minus repens, ſive minimum,
Lob. Filago minor, Ger. In agris. *Small
 Cudweed.*

Gnaphalium montanum alb. *Lob. Ger. Au-
 ricula muris, Lonoceri, Pes Cati, Offic.*
Galic. Mountaine Cudweed, or Catts-foote.
 Found in *Scosby Leas neer Donkeſter,* and
 in *Sherewood Forreſt neer Beſcot Park path*
 and no where elſe, *Mr. Stonehouſe.*

Gnaphalium odoratum flore albo elegans
 puſilla planta. *Sweet ſmelling white flowered
 Cud weed. On a goodly heath by Barneck.
 Dr. Bowles.*

Gnaphali-

Gnaphalium vulgare, **Filago**, **Centunculus**
Herba impia. In agris & juxta vias. *Cud-*
weed, or Cotten-weed.

Gramen agrorum latiore arundinacea &
comosa panicula, five agrorum venti
spica, Lob. Reed-grasse, bent, Windle-
straw.

Gramen Alopecurinum majus, *Ger. Great*
bastard Foxtaile grasse.

Gramen Alopecurinum minus, *Lob. Small*
Bastard Fax-taile.

Gramen Alopecuroides majus, *Ger. Great*
Foxtaile grasse.

Gramen Alopectiroides minus. *Small Fox-*
taile Grasse.

Gramen Alopectiroides minus alterum, *Lob.*
Small Bastard Foxtaile grasse.

Gramen Aquaticum, five Juncum, folio
articulato. Water grasse with joynted
leaves.

Gramen Aquaticum alterum, *Park. Water*
Burregrasse.

Gramen aquaticum echinis minoribus, *Park.*
The lesser prickly headed Water-grasse. Dr.
Johnsons Mj.

Gramen aquaticum harundinaceum pani-
culatum, Tab. Gramen aquaticum majus
& Calamogrostis sylva. D. Joannis, Lob.
Park. pag. 1181. 1274. Reed grasse with
Brownishtops.

Gramen aquaticum panicula longissima
nondum descriptum. ~~The~~ longer headed
~~Water~~-grasse about London.

Gramen aquaticum spicatum. Ger. Spiked
Water-grasse.

Gramen arundinaceum acerosa gluma, Lob.
Park. Ubique ad Thamisis ripas. Reed-
grasse with whitish tops.

Gramen arundinaceum paniculatum sive
Calamogrostis. Sheer-grasse, Wild-reed.
Hen.

Gramen arundinaceum sive Calamogrostis
torosa panicula, Park. Round tufted Reed-
grasse.

Gramen avenaceum altero alteri innatum,
Park. Small Oaten-grasse one head set on ano-
ther.

Gramen avenaceum Capillaceum minori-
bus glumis, Bauh. Anglo-britannicum
avenacem, Lob. In pratis. Small Haver-
grasse.

Gramen avenaceum incanum, Great Hoary
Oaten-grasse.

Gramen avenaceum innata longissima spica.
Winged Oaten-grasse.

Gramen avenaceum lanuginosum glumis
rarioribus longis. Hairy Haver-grasse.

Gramen avenaceum squamosa gluma. Scaly
eared Oaten-grasse.

Gramen Bromoides copiosa panicula, an
Festuca

Festuca graminea effusa juba, Bauh. Ad agrorum margines. Great Haver-grasse.

Gramen bromoides vernum spicis erectis.

Early meadow Drank or Darnell grass.

Gramen caninum latiore panicula minus, The lesser Quich grasse with a sparsed Tuft.

Gramen caninum marinum spica filiginea. Sea Dogges-grass.

Gramen caninum nodosum avenacea panicula. Knotty Dogges-grass.

Gramen caninum supinum. Creeping Dogges-grass.

Gramen caninum supinum marinum alterum. Another Sea Dogges-grass.

Gramen caninum supinum longissimum nondum descriptum. The inquiry of the grass some nine miles from Salisbury by Mr. Tuckers at Maddington, where with they sat Hogges, and which is four and twenty foot long, which may happily be a kinde of Gramen caninum supinum, though Gerard English it ill, Upright Dogges-grass. pag. 26. Mr. Stonehouse.

Gramen caninum vulgare. Common Dogges-grass.

Gramen capitulis Psyllii, five exhile hirsutum, Lob. Ger. Hairy grass.

Gramen caule triangulo, five Cyperoides vulg. Common Cyperus-grass.

Gramen cyperinum nemorosum, Tab. Ger.
Cyperus Wood-grass.

Gramen Cyperoides angustifolium majus
spicis erectis. Great narrow leaved Cypress-
grass.

Gramen Cyperoides palustre, Lob. Ger. Great
Cyperus-grass.

Gramen Cyperoides panicula sparsa majus,
five Cyperoides aquat. vulgatus, Lob.
Ger. Water Cypress-grass.

Gramen Cyperoides parvum. Small Cyperus-
grass.

Gramen Cyperoides spicatum, Ger. Foliiis
Vetonicæ, Lob. Variat spica divulsa &
simplici. Spike Cypress-grass.

Gramen Cyperoides spicis pendulis, Pseu-
docyperus, Lob. Dod. Ad aquas. Bastard
Cyperus.

Gramen Dactyloides radice repente,
Ger. Cockes-foot-grass with creeping roots.

Gramen fluviatile, Ger. Float-grass.

Gramen fluviatile spicatum, Tab. Spiked Float-
grass.

Gramen Geniculatum, Tab. Ger. Panice-
um spica aspera, Bauh. In pratis humi-
dis.

Gramen geniculatum aquaticum, Tab. Ger.
Water kneed-grass: In the meadow lying
among the Bridges at Wilton Towns end.
Park. 177.

Gramen

- Gramen hirsutum nemorosum. *Hairy Wood-grass.*
- Gramen junceum Ger. Bufonium, Tab. *Rush-grass or Toad-grass.*
- Gramen junceum foliis articulatis cum utriculis, Bauh. *Rush-grass having articulated leaves: By Fox-hall.*
- Gramen junceum leucanthemum, forte Junceum aquaticum, Ger. Majus, Tab. *White flowered Rush-grass.*
- Gramen junceum maritimum, Lob. Ger. *Sea Rush-grass.*
- Gramen junceum maritimum exile Plimoth: *Park. Small Sea Rush-grass of Plimouth.*
- Gramen junceum montanum subærulea spica. *Moss-crops. Idem cum cauda leporina Bauhini.*
- Gramen junceum sylvaticum folio articulato. *Wood Rushy-grass.*
- Gramen leucanthemum, Dod. Vide Holostium.
- Gramen loliaceum, *Darnel-grass.*
- Gramen majus aquaticum. *Great Water-grass.*
- Gramen marinum spicatum. *Sea Spike-grass.*
- Gramen minimum rubrum five Xerampelinum, Ger. In ericetis. *Red Dwarf-grass.*

Gramen minus duriusculum. *Small hard grass.*

Gramen murorum spica longissim. *Capons-taille-grass.*

Gramen nemorale avenaceum, rariore grano. *Shaking Haver-grass.*

Gramen palustre echinatum. *Hedge-hogge-grass.*

Gramen paniceum spica simplici, Lob. Ger. *Single eared Panike-grass.*

Gramen paniculatum pratense minus: Lob. Ger. *Small Meadow-grass.*

Gramen Parnassii sive hederaceum, Dod. Lob. Ger. *Hepatica alb. Cordi. Grass of Parnassus or white liverwort.* In uliginosis, sed rarius.

Gramen parvum marinum panicula lolia-
cea. *Little Darnel-grass.*

Gramen Phalaroides spica hirsutiori, Park. *Juxta semitas. More hairy Bastard Canary grass.*

Gramen plumosum elegans. *Fetched grass; In Ellesmer moores.* Dr. Bowle.

Gramen pratense cristatum, Bauh. *Cox-comb grass.*

Gramen pratense paniculatum minus, minimum album, Ger. *Dwarf-grass.*

Gramen pratense paniculatum molle, Bauh. *Lanatum. Daleschampii. Hoary meadow-grass.*

Gramen

Gramen pratense vulgare, Lob. Ger. *Meadow-grass*.

Gramen segetale, Ger. *Corn-grass*.

Gramen segetale panicula pretiosa, Park. The fair *Corn-grass*.

Gramen Sorghinum. *Sorgh-grass*: In Lincolnshire.

Gramen sparteum montanum spica foliacea graminea majus; The greater *Grass-eared Grass*. Amongst the Rocks at Carnedh Llewelyn.

Gramen sparteum montanum spica foliacea graminea minus. The Lesser *Grass-eared Grass* or *Grass upon Grass*: On the Fells between Pereth and Kendall, as also on Snowdon.

Gramen Sparteum. Vid. *Spartum*.

Gramen spica Brizæ majus. Barly-eared *grass*.

Gramen spica fecalina. Rie-*grass*.

Gramen spicatum alterum, Ger. Salt Marsh, *Spike-grass*.

Gramen spicatum tritici mutici, Bauh. White *Wheat Spike grass*.

Gramen sylvaticum majus, Ger. *Spicis asperis*, Bauh. The greater *Wood-grass*.

Gramen sylvaticum miliaceum. *Millet-grass*.

Gramen sylvaticum minus, Ger. *Small Wood-grass*.

Gramen tomentosum & linogrostis, Tab. Juncus bombycinus, Lob. Linum pratense, Cordi. Gesn. Inuliginosis. Cotten-grasse.

Gramen tremulum. Vide Phalaris pratensis minor.

Gramen tremulum seu Phalaris pratensis media elatior, albis glumis, non descripta. Quaking Grass with white Glumes. In an hollow lane, betwixt Peasly and Mansfield in Nottinghamshire. Mr. Stonehouse.

Gramen typhoides, sive typhinum minus, Ger. Small Catstail-grass.

Gramen typhoides spica longissima, Bauh. Long eared Catstail-grass.

Gratiola angustifolia sive minor, Gesn. Hypopoides, Cam. In agris quibusdam. Grass-Poley.

Gratiola latifolia. V. Lythymachia galericulata.

H

H *Alimus vulgaris, sive Portulaca marina. Sea Purslane.*

Hedera arborea, sive Corymbosa communis. Climbing or berryed Ivy.

Hedera helix, sive provoluta sterilis, Barren or creeping Ivy.

Hedera

Hedera saxatilis, Ger. *Afarina*, five *saxatilis*
hedera, Lob. *Rocke Ale-hoof*. In some places of *Somersetshire*, according to *Lobell*.
Park. pag. 677.

Hedera terrestris *Chamæcissos*. *Ground Ivy*,
Ale-hoof. *Gill go by Ground*.

Hederula aquatica, Lob. Ger. *Water Ivy*.

Helenium, vid. *Enula*.

Heleanthemum minus. Vide *Chamæcissus*.

Helleborine angustifolia palustris, five *pratensis*. *Narrow leaved wild white Hellebore*.

Helleborine flore atro rubente. *Park*. *Wild white Hellebore with dark red flowers*: Found by *Lysnegeragh*. Mr. *Heaton*.

Helleborine latifolia montana, Ger. *Wild white Hellebore*. In the Woods about *Croydon*.

Helleborus albus præcox, Ger. *Timely white Hellebore*.

Helleborus niger foetidus, *Bauh*. *Helleboraster maximus*. Lob. Ger. & *Confiligo Ruellii Pulmonaria Vegetii*, *Gesl*. *Enneaphyllon*, *Plinii*, *Cæsalp*. *Bear-foot*, *Setter wort*, *Oxe-heale*.

Helleborus niger flore viridi, *Bauh*. *Veratrum nigrum*, *Dod. Clus*. *Helleborastrum*, Ger. In *sylvis*. *Wild Black Hellebore*.

Helxine, vid. *Parietaria*.

Hemionitis sterilis, *Lob.* minor, *Ger.* In umbrosis & asperis. *Small Moone Fern.*

Hepatica alba, vide *Gramen Parnassii*.

Hepatica petræa purpurea *Darbienfis.* *Corke* or *Arcell.*

Hepatica Vulgaris, *Offic.* vide *Lichen*.

Herba Gerardi, *Dod.* *Podagraria Germanica*, *Lob.* Juxta oppida & in viridariis. *Herbe Gerard*, *Ash-weed.*

Herba Paris, *Matth. Dod.* *Solanum monococcum*, *tetraphyllum*, *Gesn.* *Uva Lupina*, *Lugd.* After non *Atticus*, *Tragi.* In sylvis. *Herb Paris*, one berry. variat foliorum numero.

Herniaria vulgaris. *Park.* *Rupture wort.*

Hieracium asperum, *Tab. Ger.* *An Cycho-retum luteum*, *Tab. Ger.* In montosis pratis. *Rough Hawkweed* or *yellow Succory.*

Hieracium Dentis leonis folio hirsutum, *Ger. emac.* cum priore. *Dandelion Hawkweed.*

Hieraceum foliis & facie Condrillæ, *Lob.* *Aphacoides*, *Ger.* In pratis. *Succory Hawkweed.*

Hieracium fruticosum angustifolium majus, *Sabaudum*, *Lob.* *Intybaceum*, *Ger.* *Endive Hawkweed.*

Hieraceum

Hieracium fruticosum latifolium hirsutum,
Bauh. In montosis pratis. *Rough mountaine*
Hawkeweed.

Hieracium macrorrhizon, *Tab.* Sive longi-
 us radicatum, *Lob. Ger.* In pratis. *Long*
rooted Hawkeweed.

Hieracium majus, *Dioscoridis*, *Math. Fuch.*
Dod. Cum priore. *Great Hawkes-*
weed.

Hieracium minus præmorsa radice, *Lob.* Mi-
 nus, sive leporinum, *Ger.* *Lactuca leporina*,
Trag. Ubique in pratis. Et ejus altera va-
 rietas paulo minor foliis magis dissectis.
Hares Lettice, or little *Hawkes-weed*, *Yellow*
Devills Bit.

Hieracium montanum hirsutum minus,
Bauh. *Montanum alterum saxatile*, *Col.*
Little mountain Hawkeweed.

Hieraceum nigrum, *Tab.* *Black Hawkeweed*
with more cut leaves.

Hipposelinum, *Ger.* *Alexanders.*

Hippuris. Vide, *Equisetum.*

Holostium alterum flore minore. Ad sepes
 & in dumetis. *Stichwort with lesser*
flowers.

Holostium Salamanticum, *Ger.* *Plantago*
angustifolia albida, sive *plantago Hispan.*
Dod. *flowering Sea Plantane.*

Holostium pumilum non descriptum, pro-
 venit in ericetis. *Dwarfe Stichwort.*

Holostium

Holostium parvum, Ger. *Small Sea Plantaine*.

Holostium vernum flore majore, *Euphrasia gramen*, *Trag.* *Gramen*, *Fuch.* *Alterum*, *Matth.* *Leucanthemum*, *Dod.* *Holostium*, *Ruellii*, *Lob.* *Ad sepes passim.* *Stichwort* with large flowers.

Hordeum distichon ubiq; seritur in agris.
Common Barley.

Hordeum spontaneum spurium *Holcus*, *Plinii*, *Anguill.* *Wall Barley*, *Way Bennet*, or wild *Rie.*

Hordeum tetrastrichon vel πολύστρον vernum,
Lob. Seritur in agris. *Barley Bigg.*

Hordeum ustum sive *ustilago Hordei*, &c.
Burnt Barley.

Horminum sylvestre *lavendulæ* flore, *Clus.*
Wild Clary with *Spike flowers.*

Horminum sylvestre, sive *Oculus Christi*,
Offic. *Ad agrorum margines*, & *muros.*
Wild Clary. Variat floribus.

Hyacinthus Anglicus vulgaris, Ger. *Ubique*
ad sepes & *in sylvis*: *Ejus varietas* flore
albo, rarior ut etiam flore *carneo.* *Hare-*
bells, or *English Jacinth.*

Hyacinthus autumnalis minor, *Lob.* Ger.
In arenosis collibus. *Small Autumnal Iacinth.*

Hyacinthus stellarius vernus pumilus *Lob.*
The small spring starred Hyacinth: *At the*
Kings

Kings-end neere *Dublin*. *Mr. Heaton*.

Hyacinthus trifolius nondum descriptus.

Trefoile Hyacinth. *Dr. Johnsons Mf.*

Hydropiper, vide *Perficaria*.

Hyoscyamus niger vulgaris. *Apollinaris Al-*
turcum. In *finetis*. *Henbane*.

Hyoseris mascula. *Male Swines Cichory* : In
some barren fields in *Yorkshire*. *Mr. Stone-*
house.

Hypericum minus, *Dod. Supinum glabrum*,
Bauh. Ger. emac. In *agris*. *Creeping S. Johns-*
wort.

Hypericum minus erectum, *Bauh. Hypericum*
pulchrum, *Trag.* In *dumetis & sylvis*. *Up-*
right S. Johns-wort.

Hypericum tomentosum, *Lob. Lobells Woolly*,
S. Johns-wort.

Hypericum tomentosum Clusii. *Wolly S.*
Johns-wort of Clusius.

Hypericum vulgare, *Perforata*, *Fuga dæ-*
monum. In *pratibus siccis & arvis*. *S. Johns-*
wort.

Hypochæris, *Porcellia*. *Swines Cichory*.

I.

Iacea five herba Trinitatis elegantissima,
flore luteo amplissimo. *Knapweed with a*
most ample yellow flower: *Peer Eldenhole in*
the Peake, and about Buck-stones in Darby-
shire

shire. It is in some Gardens about London.
Mr. Stonehouse.

Jacea foliis dissectis, flore albo, in arvis & pratis, sed rarior. White Knapweed.

Jacea nigra vulgaris, ubiq; in pratis. Knapweed. Mate-Fellon.

Jacea segetum purpurea major, Lob. Ger. Flos cyanoides, Dod. Great mate Fel-lon.

Jacea tricolor, vide, Viola tricolor.

Jacobæa major vulgaris Senecio major. Matth. Great Ragge-wort, Seggrum.

Jacobæa marina, Ger. Park. Sea Ragge-weed.

Jacobæa minor, muralis Belgarum. Small Ragge-wort, or Seggrum.

Iberis cardamantica, Ger. Sciatica Cresses.

Illecebra, vid. Sedum minimum.

Irio sive Erysimum, Dioscor. Lob. Verbe-na fœmina, Trag. passim in viis. Banke Cresses.

Irio sive Erysimum alterum Italicum, Ger. Italian Banke Cresses.

Iris bulbosa Anglica. Common-Flower-de-luce.

Iris palustris lutea. Water Flaggs, or Flower-de-luce.

Ifatis. Vide. Glaſtum.

Iscæmon vulgare, Ger. Cocks-Foot Grasse.

Iuglans, sive Nux regia. In viridariis & agris.

gris. *The Walnut-tree.*

Iuncaria salmaticensis, Clusii, Hist. Lob. Ger. Synanchicæ species. Lugd. Rubia linifolia aspera. Baub. Small stone Woodrooffe of Spain. Park.

Iuncus acutus Cambro-Britannicus. Park. Welch-hard, or Sharp-rush.

Iuncus acutus maritimus, Ang. English Sea Hard-rush.

Iuncellus omnium minimus, Chamæschænos. Dwarf-rush.

Iuncus acutus maritimus, five capitulis Sorghi, Bauh. ὀξύκεντρον. Pricking Sea Rush. Speer Harlecham.

Iuncus acutus vulgaris, five panicula sparsa. Sharpe-rush, or Hard-rush.

Iuncus aquaticus maximus, Bull-rush, Bumbles.

Iuncus aquaticus minor capitulis Equiseti, Lob. Clavatus, Dalech. Club-rush.

Iuncus Bombycinus. V. Gramen tomentosum.

Iuncus floridus. vid. Gladiolus.

Iuncus lævis glomerato flore, Lob. Smooth round headed rush.

Iuncus lævis medulla solidiore. Candlerush.

Iuncus lævis vulgaris panicula sparsa. Common Rush.

Iuncus five Scirpus medius, Sylvaticus, Tab. The lesser Bull-rush.

Iu-

Iuniperus, In ericetis. *Iuniper*.

Iuniperus repens. *Creeping Iuniper* : Upon the
Rocks neer Kilmadough. Mr. Heaton.

K.

K *Ali majus geniculatum*, sive *Salicornia*.
In locis maritimis. *Glasfe-wort*, *Salt-*
wort, *Sea-grape*.

Kali minimum *Illecebræ facie*. The least
Glasfe-wort, with the Face of *Stoncrop*.

Kali minus, sive *Kali album*, *Dod. cum pri-*
oribus. *Small Glasfe-wort*.

Kali spinosum, *Lob.* *Tragon improbus*,
Matth. *Ad maris lictus*. *Prickly Glasfe-wort*,
or *Bastard Sea-grape*.

Keiri Arabum & Officin. *V. leucolium lute-*
um.

Knawell, *Germanorum*, *V. Polygonum an-*
guistifolium.

L.

L *Abrum veneris*. *Vid. Dipfactis*.

Lactuca agnina, *Ger. olus album*, *Dod.* *Ad*
agrorum margines & in agris. *Lambes-let-*
tice, *Corn-Sallade*.

Lactuca agnina latifolia. *Broad Corn-*
Sallade.

Lactuca sylvestris altera folio non lacinia-

to, odore minus vehementi, *Endivia Trag.*
Theſion, Daleſchamp. cum priore. *Endive*
leaved Wild Lettice.

Lactuca sylveſtris foliis diſſectis, ſive ſylve-
 ſtris, *Marth. Fuch.* Seris domeſtica, *Lob.*
 Ad agrorum margines. *Cut-leaved Wild*
Lettice,

Lactuca sylveſtris major odore *Opii*, ſive
Scariolæ horteniſis folio, *lactucæ* flore;
Opii odore vehementi, ſoporifero & vi-
 roſo, *Adv.* Cum prioribus ſed rarior.
Great ſtinking Wild Lettice.

Ladanum ſegetum *Plinii* & *Tetrahit* angu-
 ſtifolium allis, *Lugd.* *Alyſſum Galeii* flore
 purpureo, *Tab.* Inter ſegetes, variat flore
 albo. *Narrow leaved All-heal, or Iron-wort.*

Lagopus ſive *pes leporinus* minor vulgaris.
In agris. Hares-Foot.

Lagopus perpuſillus ſupinus perelegans
 maritimus, provenit prope Caſtrum.
South Sea Caſtle. *Miliare Anglico* a *Ports-*
mouth, ad lævam, unciam vix æquans,
 nullibi antea vidi. *Ex Autographo Lo-*
belii, ad marginem edit. Teuton: Small Hares-
foot.

Lamium flore luteo; ad ſepes & in ſylvis.
Yellow Archangell.

Lamium rubrum, *Ger.* *Urtica* non mordax
 fœtens purpurea, *Lob.* *Red Archangell, ſmall*
dead Nettle. Variat flore albo.

Lamium vulgare flore albo, ubiq; ad sepes.

Archangell, dead Nettle.

Lanipfana, Lob. Sonchus sylvaticus, Tab. Papillaris, Cam. Ad sepes. Dock-creffes, Tetterwort.

Lancana. vid. Viburnum.

Lapathum acutum, Ger. Sharpe pointed Dock.

Lapathum acutum minimum, In pratis. Small sharpe Dock.

Lapathum folio acuto, flore aureo, Bauh.

Lapathi sylvestris 4. genus, Dalechampii, Lugd. In uliginosis. Magnitudine variat, ita ut caulis aliquando sesquicubitalis, aliquando vix triuncialis reperiatur. Golden Dock.

Lapathum aquaticum, five Hydrolapathum majus. Great Water-dock.

Lapathum aquaticum, five Hydrolapathum minus. Small Water-dock.

Lapathum sylvestre folio minus acuto. The roundish leaved wild Dock.

Lappa major, vid. Bardana.

Lathyris seu Cataputia minor, Ger. Garden Spurge.

Lathyrus latiore folio, Lob. Clymenum, Matth. Ervum sativum, Cordi. In sylvis & dumetis, sed minus frequens. Pease everlasting.

Lathyrus major, angustifolius. White flowered Chitlings

- Chitlings.* In citeriore promontorioli
parte prope *Barron hill.*
- Lathyrus sylvestris* flo. luteis, *Thal. Vicia,*
Tab. Legumen terræ glandibus simile, Dod.
Aphacoides, Quorund. Ubiq; in pratis &
sylvis. Tare everlasting.
- Laureola, Dod. Ger. Daphnoides, Lob. Tab.*
Thymælea, Trag. In sylvis. Laureol, Spurge-
lawrell, Lowry.
- Lens major, Lob. Ger. In agris feritur. Len-*
tills.
- Lens minor, Lenticula. Solen in Oxford-*
shire neer Bechentrete, where the Country
people call it Dills. Mr. Stonehouse.
- Lens palustris. Water-lentill, Duckes-meat.*
- Lepidium sive Piperitis, Trag. Matth. Rapha-*
nus syl. Offic. Lob. Ger. Dittander, or Pepper-
wort: On a Bank between Fiversham Town
and the Haven.
- Leucoium luteum; Viola lutea, Trag.*
Keiri vel Cheiri, Offic. In muris. Wall-
flower.
- Leucoium marinum flore candido, Lob. White-*
Sea-stock Gilliflowers.
- Leucoium marinum latifolium, Ger. Broad*
leaved Stock-gilliflower.
- Leucoium marinum luteum majus, Clusii, &*
Lob. The Yellow, &c.
- Leucoium marinum minus, Lob. & Clus.*
- Leucoium marinum purpureum, Ger. mari-*
tinum

timum majus, *Adver. Lob. Sea Stock-Gilliflowers.*

Lichen, *Matth. Fuch. Dod. Iecoraria*, five *Hepatica fontana*, *Trag. Hepatica Offic.* In humidis & umbrosis. *Liver-wort.*

Lichen arborum, five pulmonaria, *Trag. Matth. Fuch. Dod. Arboribus præsertim Quercui adnascitur. Tree Lung-wort.*

Lichen marinus, *Ger. V. Bryon Laſucæ foliis.*

Lichen petræus stellatus & umbellatus, five *Hepatica stellata & umbellata*, *Ger. Cum priore. Starry-headed and round-headed Liverwort.*

Lichen petræus tinctorius, *Park. Muscus maritimus tinct. five Alga tinctoria, Lugd. Dying red Sea mosse: Dr. Johnsons Ms.*

Ligustrum vulgare, in sepibus. *Privet, or Prim-print.*

Lilium Convallium, *Matth. Dod. Lob. Ger. In ericetis. Lilly-convall, May Lilly.*

Limonium verum, *Diosc. & Antiquorum. Vide Plantago aquatica.*

Limonium vulgare, *Matth. Lob. Behen rubrum, Quibusd. Valerianæ rubræ similis pro limonio missa, Dod. An Britannica, Dioscor. Ubiq in maritimis. Sea Lavender.*

Limonium

Limonium vulgare neotericorum, five *Behen rubrum minus*. *Small Sea Lavender: On the Rocks in Anglesey.*

Linaria adulterina, *Tab. Ger. Anthyllis montana*, *Lugd. Bastard Toad flax.*

Linaria vulgaris flore luteo *Osyris*, *Matth. Fuch. Lob. In pratis. Toade Flaxe.*

Lingua Cervina *Offic. vid. Phyllitis.*

Linum sylvestre Catharticum, *Ger. emac. In montosis. Mill mountain.*

Linum sylvestre cæruleum, *Blew wild Flax: Found on Newmarket Heath. Mr. Sare.*

Linum sylvestre latifolium, *Ger. Broad leaved wild Flax.*

Linum sylvestre tenuifolium, *Ger. Thin leaved wild Flax.*

Linum vulgare fativum, *seritur in arvis. Common Flax or Line.*

Lithospermum Anchusæ facie. *Ger. Park. Purple flowered Gromill with Tufted tops.*

Lithospermum majus, five *Milium folis*, *Offic. In collibus. Gromill.*

Lithospermum minus, *Ger. Park. Small Gromill.*

Lithospermum sylvestre, *Trag. Vide Anchusa degener.*

Lolium alb. *Ger. Triticum temulentum, Lob. Adv. Inter segetes. Darnel, Iuray, Ray.*

Lolium rubrum, *Ger. Phoenix, Matth. Dod.*

Hordeum murinum, *Plinii*, *Lob. Tab. Juxta semitas*. Red Darnell, Great Darnell grass.

Lonchitis aspera minor, *Park.* Small rough Spleenwort.

Lonchitis vulgaris aspera, *Ger. Altera*, *Diosc. Lob.* In asperis & umbrosis. Combe Ferne, rough Spleen-wort.

Luzula, vid. *Trifolium acetosum*.

Lunaria minor, *Matth. Dod. Ger.* racemosa *Lob.* *Epimedium*, *Dioscoridis Col.* In ericetis & montosis, sed rarior. Small Moonwort.

Lupulus salictarius, sive lupus *Salictarius*, *Plinii*, *Lob. Dod.* In sepibus. Hopps.

Luteola, *Lob. Antirrhinum*; *Tragi*, *Catananche*, *Tab. Luteum*, *Vitruvii*, *Lutea*; *Plinii*, *Pseudostrophium*; *Matth.* Yellow weed, and of some wild Wood.

Lychnis exilis rubra. *Park.* pag. 638. The very small red wild *Campion*. *Quid sit ignoro.*

Lychnis hirta minima sexta, *Clusii*. Small hairy *Campion*.

Lychnis marina Anglica, *Lob. Ger.* Sea-rose *Campion*.

Lychnis marina, *Ang.* floribus rub. *Ger.* Sea *Campion* with red flowers.

Lychnis segetum parva viscosa flore albo, *Alfene ipuria* 4. *Dod.* *Alfene viscaria*, *Cam.*

*Cam. Mouse-eare Campion or Catch-fly Cam-
pion.*

*Lychnis sylvestris flore albo. ad sepes. Wild
white rose Campion.*

*Lychnis sylvestris flore rubello, forte He-
speris, Theophrasti, Lob. Ocimastrum, sive
Ocimoides, Adattb. Melandrium, Plinii,
Clus. Saponaria hirsuta. Italis, cum priore.
Wild red rose Campion.*

*Lychnis tenuifolia altera, Park. pag. 638.
The least wild Campion. Hanc etiam ig-
noro.*

*Lycopsis Angl. Lob. Vide, Echium alte-
rum.*

*Lyfimachia cærulea galericulata, Lob. Gra-
tiola cærulea, Quorund. Tertianaria, Tab.
Passim ad rivulos. Hooded Willow-bearb, or
Loose-strife.*

*Lyfimachia cærulea spicata, Ger. Park. Blew
spiked Loose-strife.*

*Lyfimachia Campestris, Ger. Wild Willow
bearb.*

*Lyfimachia Galericulata minor, sive Gra-
tiola latifolia, Ger. In uliginosis. Little
hooded Willow-bearb, or Bastard hedge Hysope.*

*Lyfimachia lutea, Trag. Fuch. Lob. Ad Ri-
vulos. Loose-strife, yellow Willow-bearb.*

*Lyfimachia lutea flore globoso, Ger. Lyfi-
machia lutea altera, sive Lyfimachia Sa-
licaria; Lob. Lyfimachium aquatile, Dod.*

- Lyfimachia lutea tertia*, five minor,
Clusii. Yellow *Willow*-bearb with double flow-
 ers: *By Kings-Langly* in *Hartfordshire*.
Lyfimachia lutea minor, *Clusii*: *By Shiry*
pool in *Yorkeſhire*. The leſſer yellow *Willow*-
 bearb. *Mr. Heaton*.
Lyfimachia filiquoſa glabra major. Smooth
 codded *Willow*-bearb.
Lyfimachia filiquoſa glabra minor, *Bauh*.
 In humidis ſaxoſis. Little codded *Willow*-
 bearb.
Lyfimachia filiquoſa hirsuta magno flore,
Bauh. *Purpurea*, 1. *Fuch*. Cum priori-
 bus. Great codded *Willow*-bearb.
Lyfimachia filiquoſa hirsuta parvo flore.
 Small flowered *Willow*-bearb.
Lyfimachia ſpicata purpurea, forte, *Pli-*
nii, paſſim ad rivulos: Spiked *Willow*-
 bearb.

M.

- M** *Alva arborea marina noſtras*. *Engliſh*
Sea Tree Mallow: In an Iſland cal-
 led *Dinnie*, ſibe miles from *Briſtow*, and
 neer *Hurſt caſtle*. *Park*. pag. 306.
Malva ſylveſtris pumila, *Fuch*. *Dod*. *Repens*
pumila, *Lob*. In ruderibus. *Dwarſe-*
Mallow.
Malva verbenaca, *Ger*. vide *Alcea*.

Malva

- *Malva vulgaris*, procerior, *Lob. Dod. Major*,
Tab. Common Mallow. Variat flore albo.

Malus sylvestris, fructu majore, minore, albo,
 rubro. In sepibus & sylvis. *Crab-tree*, or
Wilden-tree.

Marrubium album, *Prassium*, in collibus.
Hore-hound.

Marrubium aquaticum, *Trag. Dod. Lob. Si-*
deritis, i. *Matth. Water Hore-hound*.

Marrubium aquaticum acutum, *Ger.* vide
Sideritis.

Marrubium nigrum fortidum; *V. Bal-*
lote.

Matricaria, vide, *Parthenium*.

Matricaria flore bullato aureo. *Naked Fe-*
ver-sew. Found in *Essex*, by *Mr. Coys. Park*,
 pag. 84.

Matrisylva, vide *Periclymenum*.

Medica, vid. *Trifolium cordatum & lute-*
um.

Medica marina, *Lob. Clus. Tab. Trifolium*
cochleatum marinum, *Ger. Sea Medicke* or
Snaile trefoil.

Melampyrum album, triticum *Vaccinium*
Quorund. In arvis. *White Cow-Wheat*.

Melilotus, *Offic. Sertula campana*, *Plinii*,
Lotus urbana, *Matth.* In agris. *Meli-*
lote.

Melilotus coronaria, five *coronata*, *Lob. Vi-*
de, *Trifolium corniculatum*.

Melissa Moldavica, Matth. *Melissophon Turcicum*, Ad. Lob. Flore purpureo & flore albo. *Turky Balm*, with purple and white flowers. Both found in Mr. Champernons wood, by his house on the hill side neere Totnes in Devonshire. Mr. Heaton.

Melissa, Dod. *Melissophyllum*, Matth. *Apiastrum*, Cord. *Citrago*, Gesn. hort. *Bawm*: In a wood by Gloucester, and many places of the West.

Mentha angustifolia spicata, Bauhin. *acuta*, Tab. Romana, Lob. Ger. *emac. Spearmint*. *Mentha aquatica*, five *Sisymbrium*, Fuch. Dod. *Balsamita*, vel *Balsamine*, Offic. Ad rivulos. *Water-mint*.

Mentha crispa Danica, aut *Germanica spinosa*, Park. The great curl'd *Mint* of Germany.

Mentha felina, vel *Cattaria*, *Nepeta vulgaris*, Trag. Ad sepes. *Cats-mint*.

Menthastrum, Trag. Matth. *Mentha equina*, Brunfelsii. In pratis humidis. *Horse-mint*.

Menthastrum minus spicatum, Hist. Lugd. *Menthastrifolia aquatica hirsuta*, five *Calamintha*, 3. *Dioscoridis*, *Lobelii*, Cum priore. *Small Horse Mint*.

Mercurialis montana testicula & *spicata*, Bauh. V. *Cynocrambe*.

Mercurialis spicata five *scemina* Diosc. Plinii, Matth. *Female Mercury*, Mercu-

Mercurialis testicula, five *mas*, Diosc. Plinii, Matth.

- Matth. Male Mercury.* Both these grow by the Sea side at Ride, In the Isle of Wight.
- Meum, Matth. Dod. Ger. Daucus Creticus, Fuch. Mew or Spignell.* In Westmerland in Orton parish. *Ger.*
- Militaris aizoides, Lob. Ger. Stratiotes Potamios & sedum aquatile, Dod. Aloe palustris, Bauh. Water Honsleeke or fresh water Souldier:* In Holderness and the Fennes of Lincolnshire, and in the new Ditches of the Dutch trookes of Hatfeild, within three or four yeares after they were made.
- Milium Solis. Vid. Lithospermum.*
- Millefolium aquaticum caule nudo, Bauh. Myriophyllum equisetifolium palustre, Lob. Viola aquatilis, Dod. Fœniculum aquat. 2. Tab. Variat foliis crassioribus & tenuioribus. Water Violet.*
- Millefolium fluviatile tenuifolium, Ger. emac. Myriophyllum maratrichyllum palustre alterum, Lob. River Milfoile, or Fennell leaved water Milfoil.*
- Millefolium, five Maratrichyllum flore & semine Ranunculi aquat. Hepaticæ facie, Ger. Fœniculum aquaticum 3. Tab. Water Fennell, Crow-foot, Milfoil.*
- Millefolium, five Myriophyllum aquaticum minus, Clusii, Ger. emac. Small Water Milfoil.*
- Millefolium palustre galericulatum, Ger. Flore luteo galericulato, Lob. Hooded water*

water Milfoile. About Oxford.

Millefolium umbellatum, five *aquaticum*,
Ger. Dod. *Myriophyllum*, Matth. *Water*
Tarrow. Most frequent according to Park,
pag. 1258. Yet I have not seen, nor heard
of it by any other.

Millefolium vulgare album, *terrestre majus*
Tab. *Stratiotes millefolia*, Fuch. *A-*
chillea, Dod. In pratis. Common Milfoil or
Tarrow.

Millefolium vulgare flo. diluti ruboris,
Trag. *Purpureum*, Lob. Dod. Tab. Cum
priori. Red flowered Milfoil.

Millegrana minima, Lob. *Polygonum poly-*
spermum, Quorund. In ericetis ficcioribus.
Little Rapture-wort.

Mollugo montana, Dod. Great Bastard
Madder.

Monophyllum, Ad. Lob. Ger. *Unifolium*,
Dod. Cam. One-blade, or One-leaf: In Dingley
Wood in Lancashire, and in a Wood neere
Bath.

Morsus Diaboli, *Succisa*, *Pycnocomon*,
Dioscoridis, Col. Devils bit. Variat flore
albo.

Morsus Gallinæ, Vid. *Alfne heder*.

Morsus Ranæ, Dod. Lob. In aquis. Frogge-
bit.

Muscipula, five *Armoraria altera*, *Lobellii*,
Lychnis sylvestris. I. *Clusii*, *Armerius*
flos,

flos, tertius, Dod. Catch-fly and Lime-wort.

Muscipula angustifolia, Lychnis sylvestris, 4. Clusii, Narrow leaved Catchfly.

Muscus albus marinus vulgarissimus, Lob. White Sea-moss.

Muscus arboreus, Trag. Matth. Dod. Quercus, Lob. Ger. In quercu pomo, &c. Tree-mosse.

Muscus capillaris: Vide Adiantum aureum.

Muscus ceranoides, Bauh. Corniculatus, Ger. Quoad descriptionem etenim ejus icon nullibi extat. In herbosis Montium jugis. Horned Mosse.

Muscus clavatus foliis cypressi, Bauh. Ger. emac. Sabina sylvest. Trag. Chamæcyparissus, Turneri, & Tab. Heath Cypress: On the top of Snowdon, as also upon Cheviot hills in Northumberland.

Muscus coralloides five Corallina montana, Tab. Ger. In ericetis ficcioribus & montosis. Corall Mosse, or Mountain Coral-line.

Muscus filicinus, Park. Fernlike Mosse.

Muscus incurvatus ruber nondum descriptus. Red Bending Mosse. Dr. Johnsons Mss.

Muscus major denticulatus, In aquosis. Great Toothed Mosse.

Muscus

Muscus marinus, 1. *Matth.* *Corallina*, *Offic.* *Coralline* or *Sea Mosse*.

Muscus marinus foliis multifidis, *Fine Sea Mosse*.

Muscus marinus ramosus multifido folio, *marinus*, *Clusii*, *Ger. eindc.* *Branchy Sea Mosse*.

Muscus marinus spiralis pennatus, nec describitur, nec depingitur. *Feathered Sea Mosse*: In the coast of *Anglesey*.

Muscus minor denticulatus, *Ger.* *Small toothed Mosse*.

Muscus parvus stellaris, *Ger. emac.* *Small Heath Mosse*.

Muscus pixoides, five *pixidatus*, *Ger.* In *montosis & muris*. *Cuppe* or *Chalice Mosse*.

Muscus ramosus floridus, *Tab. Ger.* In *quercubus*. *Flowring branched Mosse*.

Muscus terrestris, *Trag. Matth.* *Clavatus & Lycopodium*, *Lob. Ger.* *Chamæpeuce*, *Cordi*, In *ericetis*. *Club. Mosse* or *Wolfes-claw*.

Muscus terrestris scoparius, *Ger.* *Beesome Mosse*.

Muscus terrestris vulgaris. *Common Earth Moss*.

Myagrum sylvestre, *Sesama*, *Trag.* five *Pseudomyagrum alterum*, *Cam. Epit. Matth.* *Paronychia*, 2. *Tab.* In *arvis* inter

inter linum reperitur. *Bastard Yellow Flax.*

Myosotis scorpioides arvensis hirsuta, Ad. Lob. Auricula muris cærulea, Tab. Echium palustre alterum, Thal. In agris. Mouse-ear, Scorpion-grass.

Myosotis Scorpioides palustris Euphrasia cærulea, Trag. Tab. Heliotropium minus in palustribus, Casalp. Echinum palustre, Cordi. Thal. Water Scorpion-grass.

Myosuros, live cauda murina, Dod. Lob. Ger. In ericetis & pascuis sterilibus. Mouse-tail.

Myrrhis nova Æquicolorum, Col. Cicutaria parva tenuifolia. Ad agrorum margines. Hemlock Chervill.

Myrrhis sylvestris, Vide, Cicutaria alba.

N.

N Apus, Bunias, *Fuch. Lob. Ad agrorum margines. Wild Navew.*

Narcissus luteus, Trag. Gesn. Bullenador, Theoph. Pseudonarcissus, Dod. Ger. In locis humidis & umbrosis. Daffadill or Daffadowndilly.

Nardus Celtica, Matth. Lob. Tab. Spica Celtica, Lugd. Celticke Spiknard.

Nardus

Nardus Celtica altera, *Bauh.* five fastigiato
flosculorum ordine, *Cam. Epit.* The other
Celtick Nard: Gerard saith, These two
grow about *Ingleborow Hill* in *Yorke-*
shire.

Nasturtium aquaticum, *Offic.* Vid. *Si-*
um.

Nasturtium hybernium; Vid. *Barbarea*.

Nasturtium petræum, *Ger.* In agris. *Stone-*
Cresses.

Nidus Avis, *Dod.* *Satyrium abortivum*, *Lob.*
Ger. In sylvis. *Birds nest*.

Nidus avis flore & caule violaceo purpureo
colore, an *Pseudolimodoron*, *Clusii*, *hist.*
rar. Plant. pag. 270: A mile from *Alton* in
Hampshire. *Mr. Goodyer*.

Nepeta vera, est *Calamintha Pulegii* o-
dore.

Nepeta vulgaris, est *Mentha Cattaria*.

Nucula terrestris, vide, *Bulbocastanum*.

Nummularia minor purpurascente flore,
Bauh. Ger. emac. In uliginosis. *Little purplish*
flowered Mony-wort.

Nummularia vulgaris, five major lutea. In
humidis pratis. *Yellow Mony-wort*, or hearb
Two-pence.

Nymphæa alba major. In fluviis & rivulis.
Great white Water Lilly.

Nymphæa alba minor, In rivulis & stag-
nantibus aquis. *Little white water Lilly*.

Nymphæa

Nymphæa lutea major, Cum priore. *Great Yellow water Lilly.*

Nymphæa lutea minor cum reliquis. *Little yellow water Lilly.*

O.

Oculus Christi, Vide Horminum syl.
Ocymum cereale, *Clus. Vide, Fegopyron.*

Oenanthe aquatica, *Lob. Filipendula aquat.*
Ger. Juncus odoratus aquatilis, Dod. Water Dropwort.

Oenanthe aquatica Selini folio non descripta. *Water Dropwort.*

Oenanthe sive filipendula virosa maxima,
Cicutæ facie, Lob. Ger. Ad rivulos et fossas.
Hemlock Dropwort.

Onobrychis; V. Caput gallinaceum.

Onobrychis flore purpureo. *Ger. Purple Cockshead: On the Downes neere the Devizes: in Wiltshire.*

Ononis, vide, Anonis.

Onopyxos, vide, Carduus arvensis.

Ophioglossum, Enophyllum; *Adver. Lob.*
Lingua vulneraria, Cord. In pratis humidis. Adders-tongue.

Ophyoglossum abortivum; *Ger. Mis-shapen Adders-tongue.*

- Ophris, *Math. Bifolium Dod. Lob. In sylvis & pratis humidis. Twablade.*
- Ophris five Bifolium palustre. *Marsh Bifoile, or Twablade : In the wet grounds between Hatfeild and St. Albones. Park pag. 505.*
- Ophris trifolia, *Tab. Perfoliata syl. fœmina, Brunf. By Maydston in Kent. Mr. Loggins.*
- Orchis Arachnitis, *Spider Orchis, A hyzabe plant, and flowers betimes, I was much taken habing neber seen it befoze, it grows upon an old Stone pit ground, which is now green, hard by Walot a mile from Barneck, as fine a place for variety of rare Plants as eber I beheld. Dr. Bowle.*
- Orchis alba calcare oblongo, five Testiculus vulpinus. *r. Lob. Testiculus Psycodes, Ger. emac. In sylvis & humidis pratis. Gnat Satyrion.*
- Orchis Batrachites, *Frog Satyrion : By Barkway. Dr. Johnsons Ms.*
- Orchis five Cynosorchis flo. *purpurascence, Pannonica 4. Clus. In montosis pratis. Little purple flowered Dogges-stones.*
- Orchis, five Cynosorchis morio fœmina, *Lob. Ger. In pratis. The Female Fool-stones or Crowtoes.*
- Orchis flore albo odorato, *Cam. Testiculus odoratus; Lob. Ger. In montosis pratis, Lady-Traces.*

Orchis Frissi lutea. Friesland *Lady-Truces*
Dr. Johnsons Ms.

Orchis hermaphroditica elegans, supremo
floris foliolo purpurea maculato: Bp
Uden Lodge in Pennyston Woods, Yorkshire.
Mr. Stonehouse.

Orchis hermaphroditica, Ger. *Butter-fly,*
Satyron. Dr. Johnsons Ms.

Orchis hiant cucullo, five *Cynosorchis*
major altera, Ger. *Secunda species,* Lob.
Tab. Dogges Stones with a gaping flower:

Orchis Melittias, Ger. *Bee Orchis.*

Orchis morio mas foliis maculatis, five *Cy-*
nosorchis morio mas, Ger. *emac.* *The male*
foole stones, or Crow-toes.

Orchis myodes elegans purpurascens. An
elegant purplish Fly Satyrion: In Brodworth
wood, Yorkshire. Mr. Stonehouse.

Orchis Myodes lutea, Ger. *emac.* *Testiculus*
muscarius, iij. *Luteus,* Tab. In montosis
pratis. *Yellow Fly Satyrion.*

Orchis myodes flore coccinio elegans. Scarlet
Fly Satyrion: In Swanscombe Wood.

Orchis myodes, Ger. *emac.* *Fly-Satyrion:* This
grew on a hill South-west of Bathe.

Orchis Ornithophora, Ger. *Bird Saty-*
ron.

Orchis palmata minor calcaribus ob-
longis, Serapias minor nitente flore,
Lob: Ger. In montosis. *Spurre-flowered*

Orchis, or Red banded *Orchis*.

Orchis palmata montana maculata; Bauh.
Serapias candido flore, Lob. Ger. *White*
banded Orchis.

Orchis palmata palustris latifolia, Bauh.
Serapias palustris latifolia, Lob. Ger. In
 humidis pratis. *Marish Satyrion*.

Orchis palmata palustris maculata, Bauh.
Spotted Marish Satyrion.

Orchis palmata pratensis maculata, Bauh.
Palma Christi fœm. Ger. *Satyrium Basilic-*
um fœm. Dod. *Female Satyrion*.

Orchis palmata pratensis major, five *palma*
Christi mas, Ger. *Satyrium basilicum*
mas, Dod. In pratis. *Male Satyrion royall*,
Gander-Gosses.

Orchis palustris Lophodes nondum de-
scripta. *Tufted Marish Orchis*. Dr. *Johnsons*
Mf.

Orchis radice repente, Cam. Sive *palma*
Christi radice repente, in sylvis & pratis
 humidis; *Creeping Satyrion*.

Orchis fauroides, five *Tragorchis Maximus*,
 Ger. *Testiculus Hirci*, Lob. Dod. *The Lizard*
flower, or great *Goat-Stones*: *High the high*
way betweene Crayford and Dartford in
Kent.

Orchis, five *Testiculus vulpinus*, 2.
Sphegodes; Lob. Ger. In collibus five
 montosis pratis, *Humble-Bee Orchis*.

Orchis

Orchis spiralis autumnalis, *Triorchis*,
*Ger. In editioribus locis. Triple Lady-
 Traces.*

Origanum vulgare, *Trag. Matth. Sylve-
 stre, Fuch. Dod. Anglicum, Ger. Agriori-
 ganum, five Onitis major, Lob. Ad sepes
 & agrorum margines. Wild Maric-
 rome.*

Ornithogalum angustifolium majus flori-
 bus ex albo virecentibus, *Bauh. Asphode-
 lus bulbosus, Galeni; Dod. Ger. Onion Aspho-
 dill, Greene Starre-flower: It grows in the
 way between Bathe and Bradford not farre
 from little Ashley.*

*Ornithogalum candidum vulgare, Lob. Bul-
 bus Leucanthemos minor. Dod. In pratis.
 White Starre of Bethlehem.*

*Ornithogalum luteum, five Cepa agraria,
 Ger. Bulbus, Tragi, Yellow Star of Bethlehem;
 In a Corn field by Winecaunton in Somerset-
 shire.*

*Ornithopodium majus, Dod. Lob. Ger. In e-
 ricetis & locis aridis. Birds foot, or Birds
 Claw.*

*Ornithopodium minus, Ger. Small Birds foot.
 Cum priore.*

*Ornithopodium nodosa radice, Tuberosum,
 Dalecamp. Park. Knotted Birds-Foote.*

*Orobanche, Rapum genistæ. In ericetis.
 Broome Rape.*

Orobanche ramosa, Lob. 3. πικύλας Θ. Clus.
Hist. Branched Broome Rape. By Hachbury in
Wiltshire. Libenter inter Cannabem na-
scitur. Mr. Loggins.

Osmunda regalis. V. Filix florida.

Otites Tabern, five sesamoides parv. Musci-
pula salmantica minor, Spanish Catchfly
Found on Newmarket Heath. Mr. Sare.

Oxalis, Vide *Acetosa*.

Oxalis major, forte major *Brokenburgensis*.
Ibal. montana maxima, Baub. Great or large
leaved Sorrell.

Oxalis rotundifolia, Dod. Franca, five Ro-
mana, Ger. French Sorrell, or round leaved
Sorrell. On the Rocks of Snowdon and the
like places.

Oxyacantha, Galeni. Cam. Crespinus, Mauth.
Barbaris, Offic. In viridariis & sepibus,
Berberries.

Oxycanthus, Matth. Lob. Spina appendix
Plinii, Gesn. In sepibus passim. The white
Thorne, or Hawthorne-tree.

Oxyacanthus folio & fructu majore: In
Ricot Parke and elsewhere in Oxfordshire.

Oxymyrline, vide, *Ruscus*.

Oxyo. Plinii, V. *Trifolium acetosum*.

P.

Palma Christi, i. Orchis palmata.

Palma Christi maxima, Cynosorchis macrocaulos, five Conopsea, Lob. The greatest handed Satyrion: By Southfleet in a boggy place. Dr. Johnsons Mj.

Panax Coloni, V. Sideritis.

Papaver corniculatum flore luteo. In maritimis. Yellow horned Poppy.

Papaver erraticum, Matth. Dod. Rhoeas; Lob. Ger. Inter segetes. Red Poppy, Corn-Rose.

Papaver erraticum alterum, Fuch. Dod. Erraticum minus, Tab. Cum priore. Little red Poppy, or Corn-Rose.

Papaver spontaneum sylvestre, Lob. Ger. emac. In agris & ad agrorum margines. Wild Poppy.

Papaver spumeum; Lob. V. Behen album.

Papaver spumeum, foliis auratis elegans. An Elegant spatling Poppy with gilded leaves: In Womersley field in Yorkshire. Mr. Stonehouse.

Papaver Rhoeas flore albo. Amongst Wheat betwixt Pontfract, and Ferry-bridge. Mr. Stonehouse.

Papaver Rhœas flore purpureo saturo
Murly like the commonest single garden Poppy.
In mine own Kie at Darfeild. Mr. Stone-
house.

Papaver Rhœas flore variegato: *Peet Red-*
ding.

Paralyfis, *Officin.* V. *Primula pratensis.*

Parietaria vulgaris, *Helxine*, in muris
 antiquis, & rudibus. *Pellitory of the*
Wall.

Paronychia altera, *Dod. rutaceo folio, Lob.*
Alfine petræa rubra, & *Paronychia*, 3.
Tab. In testis & muris. Rue, Whitlow-
grasse.

Paronychia major, *Park. pag. 556. Whit-*
low-wort: Plentifully in the North. Mr.
Stonehouse.

Paronychia vulgaris, *Dod. Alfinefolia, Lob.*
Bursa pastoris, 6. Trag. Chickweed, Whitlow-
grasse.

Parthenium, *Math. Matricaria, Dod. Lob.*
Artemisia tenuifolia, Fuch. Tab. In muris
& ad sepes. Fever-few.

Pastinaca sylvestris, *Dod. V. Elaphobos-*
cum.

Pastinaca sylvestris tenuifolia, V. *Dau-*
cus.

Pecten veneris, *Math. Ger. Scandix, Dod. In-*
ter segetes, Shepheards-needle, Venus-Combe.
Pedicularis

Pedicularis flore albo. *White Rattle:* *Wp Cy-*
rencester. *Mr. Loggins.*

Pedicularis pratensis lutea, five Crista gal-
li herbariorum, *Lob. Yellow Rattle or Cock-*
combe.

Pedicularis rubra, five Ruta pedicularis,
Tab. Alektorolophos; Lob. Fistularia,
Dod. In pratis humidis. Red Rattle, or
Lowse-wort.

Pentaphyllum rub. palustre. Marsh Cinque-
foile.

Pentaphyllum, (five Quinquefolium mi-
nus repens) incanum, Ger. In mont-
sis. Hoary small Cinque-foile, or five-leaved
grasse.

Pentaphyllum five Quinquefolium petr-
um majus; Tab. Tormentillæ facie, Ger.
Pentaphyllum album, Matth. exiguum al-
terum, Trag. In agris ficcioribus, & ad
muros. Wall Cinque-foile.

Pentaphyllum five Quinquefolium vul-
gare. Common Cinque-foile, or five-leaved
grasse.

Pentaphyllum supinum potentillæ facie,
Ger. Silverweed, Cinque-foile.

Peplus, Matth. Dod. Lob. Esula rotunda, Gesn.
Ger. Inter segetes. Petty Spurge.

Perchpier Anglorum, Lob. Ger. emac. Alchi-
milla montana, Col. In ag'is ficcioribus.
Parsley Breake-stones.

Perfoliata, *Matth. Lob. Dod. Ger.* In agris inter segetes. *Thorow-waxe.*

Perfoliata filiquosa. Ger. Napifolia, Coddled Thorow waxe: At Darfield. Mr. Stonehouse.

Periclymenum, Trag. Fuch. Non perfoliatum septentrionalium, Lob. Caprifolium, Matrisylva, Offic. Dod. In sepibus & sylvis. Wood-bind, Hony-suckle.

Pericaria mitis maculosa; Lob. Ger. Altera, Trag. Matth. Ubiq; in aquosis. Dead or spotted Arsmart.

Pericaria pusilla repens, Lob. Famila, Tabern. Cumpriore. Small Creeping Arsmart.

Pericaria filiquosa, Lob. Ger. Noli me tangere, Gesn. Impatiens herba, Dod. Mercurialis Syl. & Esula, Trag. Chrysea, Lugd. In umbrosis. Coddled Arsmart or Touch-me-not.

Pericaria urens. Lob. Hydropiper, Matth. Fuch. Dod. Ger. Arsmart Water-Pepper.

Pes anserinus; vide Atriplex syl.

Pes columbinus. V. Geranium columbinum.

Petasites, Lob. Ger. Tussilago major, Matth. Ad fluminum & rivulorum ripas. Butterburre.

Peucedanum, Pinastellum, Foeniculum porcinum. Sulphure-wort, Hare-strong, Hoggesfennell,

fennell, and of the vulgar *Spreusidany*.
In Kent betweene *Feversham* and the
Sea.

*Peucedani facie pusilla planta Lob. Selinum
montanum pumilum, Clus. Peucedanum
pumilum, aut, (quod magis arridet) Pe-
troselinum. Dwarfed Hogs-Fennell, or Rock-
persley: On St. Vincents Rock nigh Bri-
stow.*

*Phalaris pratensis minor, Lob. Gramen le-
porinum, & Tremulum, Tab. In mon-
tosis pratis. Quaking-grasse, Cow-quakes.*

*Phalaris sativa, Matth. Dod. Lob. Semen Ca-
nariense vulgi. Iuxta oppida ex seminibus
inter domorum purgamenta ejectis. Cana-
ry seeds.*

Phellandrium: V. Cicutaria palustris.

Phoenix; V. Lolium rub.

Phu: vide Valeriana.

*Phyllitis, Matth. Dod. Lingua cervina, Offic.
Scolopendrium, Brunf. Scolopendria
vulgaris, Trag. In asperis & umbrosis.
Harts-Tongue.*

*Phyllitis multifida, sive multifido folio, Lob.
Ger. non longe a Ggo-Gumbyd. Finger Harts-
Tongue.*

*Pilosella major, Fuch. Dod. Auricula muris
major Trag. Ad agrorum margines, Great
Mouſe-ear.*

Pilosella

- Pilosella media vulgaris erecta*, *Park.* *Common upright Mouse-ear.*
- Pilosella minor vulgaris repens*, *Ger. Park.* *The common small creeping Mouse-ear.*
- Pilosella filiquata*, *Thal.* *Paronychia altera Myagri folio*, *Gesn.* *Ad agrorum margines.* *Coddred Mouse-ear.*
- Pilosella vulgaris erecta altera*, *Park.* *Upright Mouse-ear: Plentifully on Hampestead Heath.*
- Pimpinella sanguisorba major*, *Matth. Italica major*, *Thal.* *Sylvestris*, *Ger.* *In pratis.* *Great Burnet.*
- Pimpinella sanguisorba minor*, *Matth. Italica minor*, *Thal.* *Hortensis*, *Ger.* *In montosis pratis.* *Small, or little Burnet.*
- Pimpinella Saxifragia major*, *Trag. Fuch. Saxifraga magna*, *Dod. Lob. Tragoselinum majus*, *Tab.* *In pratis & pascuis.* *Burnet Saxifrage.*
- Pimpinella Saxifraga major altera*, *Bauh. Tragoselinum minus*, *Tab.* *Cum priore.* *The middle Burnet Saxifrage.*
- Pimpinella saxifraga minor.* *Bipennella Saxifraga hircina minor*, *Lob. Tragoselinum petraeum*, *Trag.* *In pratis & montibus.* *Small Burnet Saxifrage.*
- Pinguicula (vel Liparis)* *Gesn. Clus. Ger. Cuccullata*

cullata, quibusdam Crias, *Apulis, Lugd. Butter-worts, Yorkshire Sanicles: In a Bog* about the mtdde way betweene *Sarisbury* and *Southampton*, and in many places of *Wales*, and in *Northamptonshire* plentiful-
ly.

Pisum arvense, flore alb. aut roseo; fructu al-
bido, aut cinericeo; teritur in arvis. *White*
Pease and Gray Peas.

Pisa marina Anglica. Forte hæc *Pisa* non diffe-
runu a sylvestribus *Pisis* mihi communicatis a
D. Tho. Pennæo, & I. Iacobo Væstenfi.
D. amicis. & eruditis. Anglis observatis.
1. Primum syl. instar *Convolvulorum*
se spargit foliis *Medicæ cæruleæ*, sed non
ferratis; in cauliculis quadratis fructum
fert *Piso* minorem. 2. Alia *Pisi* sylvestris
species radice perenni folio *Ascyri* fere
rotundo, caule item rotundo striato, &
fructu in siliquis minoribus. 3. Tertia
species e radice longa lignosa, recta pro-
ducit caules striatos, e quibus in pedi-
culo, ordine quo in *Cicere* bina, & in
summo terna obscure virentia logiuscu-
la folia nascuntur longitudinis & mag-
nitudinis *Hyperici*, fructus in siliquis
longiusculis *Pisi*. Alia species foliis ob-
longis *Ascyri* radice multum fibrata. Pro-
culdubio *Pisca* hæc sylvestrica e genere
sunt *Lathyridis* *Cicerculæ* quam *Rhizo-*
tomi

tomii Angli cum quodam fastu, *Cerbera* *Dease* vocant. Pusillum aliud *Pisum* syl. spontaneum in *Cretaceis* collibus *Kings-bey Kantii* Comitatus collegi non procul a *Thamesi* sarmento *spithameo* etiamq; palmari, flosculis subalbidis, radice fibrosa, & foliolis vulgato *Piso* similibus, sed omnibus sui partibus longe minoribus. In *Essexia* e regione *Kantii* pratensibus editioribus hoc *Pisi* syl. genus multo majus reperi.

Pisum spontaneum aliud maritimum *Anglicum*. In *Cantii* Comitatus maritimis inter filices, juxta novam *Romani* vocatam istud syl. *Pisi* genus spontaneum oriiri tradunt, quam plurimis viginti & triginta numero conjunctis siliquis floribus variorum colorum albis aut cinereis; radice perenni. Totum hoc de *Pisis* syl. vest. transtuli ex margine *Historie Plantarum Teutonice Lobelii*, ubi propria manu has breviusculas eorum descriptiones exaravit.

Plantago aquatica humilis angustifolia capitulis rotundis echinatis. In fossis. *Dwarf water Plantain*.

Plantago aquatica major, *Limonium verum*, *Diosc.* & *Antiq.* *Great water Plantaine*.

Plantago aquatica minor stellata, *Dama-sonium stellatum*, *Lugd.* In stagnantibus

tibus aquis. *Starry-headed water Plantain.*

Plantago major incana, Lob. media, Fuch. Dod. In pratis. *Hoary Plantaine.*

Plantago major latifolia vulgaris; *Great Plantain* or *Waybreed.*

Plantago marina, Lob. Dod. Ger. *Sea-Plantain.*

Plantago minor angustifolia, *Quinquenervia*, Lob. Ger. *Lanceolata*, Trag. Tab. Ubi- que in pratis & pascuis. *Ribwort*, or *Ribwort Plantain.*

Plantago pannicula sparsa, *Sarothrodes*, & *Corematophora*, sive *scoparia*, Lob. *Besome Plantain*, or *Plantain with spokie tufts*: Wee found this onely in the Ile of Tenet.

Plantago quinquenervia rosea, Ger. *Rose Ribwort.*

Pneumonanthæ, Lob. Ger. *Campanula autumnalis*, Dod. *Calathiana autumn.* Gesn. In ericetis solo nigro & humido. *Calathian Violet.*

Podagraria; Lob. Vide *Herba Gerardi.*

Pœonia fœmina. *Female Peony*: In a Close belonging to Mrs. Anne Steavenson at Sunningwell in Barkeſhire of aboue fifty yeares ſtanding.

Pœonia mas vulgaris. *Male Peony*: Found growing in Mr. Feilds well close in Darfeild

feild: Which though farre from any house, I beleeebe it came first out of a Garden with some dung. Mr. Stonehouse.

Polyacantha; Vide *Carduus spinosissimus*.

Polyanthemum palust. Dod. V. *Ranunculus aquat.*

Polygala Recentiorum, Lob. Amarella, Gesn. Flos ambervalis, Dod. Variat flore colore cæruleo, purpureo violaceo, carneo, albo. Nascitur montosis ticcioribus. Milk-wort; and by some (but falsly taken for Gratiola) Hedge Hyssope.

Polygonatum latifolium. 2. Clusii. Sweet smelling Salomons Seal.

Polygonatum vulgare, Sigillum Solomonis Offic. In sylvis. Salomons Seal.

Polygonum angustissimo gramineo folio, Bauh. Exiguum, Dod. Minus Polycarpon, Tab. Knatwell, Trag. & Germanorum Polygonum felinoides; Ger. Inter segetes Parsley piert.

Polygonum alterum pusillo vermiculato Serpylli folio, Lob. In maritimis. Round leaved Knot-grasse.

Polygonum fœm. Diasc. Cauda equina fœmina, Ger. In aquosis. Female Horsetaile, short Shave-grasse, Paddow pipe.

Polygonum mas vulgare, Centinodia. Sanguinaria, corrigiola, passim in arceis
&

- & juxta semitas. *Common Knot-grass.*
 Polytrichum; V. Capillus Veneris.
 Polypodium vulgare, In quercubus & muris antiquis. *Polypody.*
 Populus alba, Ger. *White Poplar*: At Kings Head neer Bathe.
 Populus nigra vulgaris, Juxta rivulos. *Black Poplar.*
 Populus tremula, Lybica, Matth. Dod. Lob. *Trag.* In sepibus & sylvis humidis. *The Aspe, or Aspen tree.*
 Portulaca aquat. V. Alfine rotundifolia.
 Portulaca marina, V. Halimus.
 Portulaca sylvestris. *Wild Purslane*: About Ramsymeare in the foot pathes by the Rape mills. Dr. Bowle.
 Potamogeton angustifolium, In stagnantibus aquis & Piscinis. *Narrow leaved Pondweed.*
 Potamogeton latifolium, cum priore. *Pondweed.*
 Potamogeton longis acutis foliis, Par. *Long-sharp leaved Pondweed.*
 Potamogeton perfoliatum five. 3. Dod. In fluviis. *River-weede or small Pondweed.*
 Potamogeton pumilum nondum descriptum Dwarf Pond-weed: Between Carleton and Wulwich.
 Potamogeton serrato longi folio, Par. *Dented Pond-weed,* H Potent-

Potentilla, V. Argentina.

Prassium, V. Marrubium.

Primula pratensis, herba Paralyfis, Offic. Alissima pratorum, Col. Cows-lips.

Primula pratensis inodora, lutea pallida, Lob. Ger. Oxe-lips.

Primula veris, five Primula sylvarum, Lob. Alissima sylvarum, Col. Primrose.

Primula veris flore rubro, Clus. Ger. Sanicula Alpina minor, Lob. Arthritica flore purpureo. Cam. Red Birds-eyne. Variat flore albo. These are found in diverse moist yet Mountainous places of the North: I found them most plentifully mixt with Pinguicula, in a very low and squallid Meadow near Knaresborough. Mr. Stonehouse.

Primula veris ~~maluosa~~, five Primula veris Heskethi, Ger. The various Primrose, or Mr. Heskethes Primrose: Being found by him in a Wood called Clapdale three miles from Settle in Yorkshire.

Prunella vulgaris, Trag. Consolida minor, Matth. Variat floribus albis. In pratis. Self-heal.

Prunus sylvestris fructu majore, Pruni syl. altera species. Trag. Pruna syl. praeocia, Bauh. In sepibus. Bullas-tree.

Prunus sylvestris fructu minore serotino, Prunellum vel Prunulum, Offic. Acacia Germanica

Germanica *Quorund.* In sepibus & dumetis. *The Shoe-tree, Snag-tree, or Black-thorn.*

Pseudomelanthium, *Matth.* **Nigellastrum**; *Dod.* **Lychnis segetum** sive **arvensis**, *Tab.* **Githago**, *Trag.* Inter segetes. *Cockle.*

Pseudonarcissus; *V.* **Narcissus**.

Psyllium, sive **Pulicaris herba** & **pulicaria**. *Flea-wort.* *Dr. Johnsons Ms.*

Ptarmica duplici flore, *Ger.* *Double flowered Sneewort: Sp Chilmarke in Wiltshire, and many other places.*

Ptarmica vulgaris, *Lob.* **Pyrethrum sylv.** *Dod.* **Tanacetum album**, *Trag.* In pratis. *Snees-wort, Bastard Pellitory.*

Pulegium densis surculis, *Park.* *Thick or double Penny-royall.*

Pulegium vulgare, sive **mas**: In locis humidis. *Penny-royall, Pudding-grasse.*

Pulmonaria, vide **Lichen arborum**.

Pulmonaria foliis Echii, *Lob.* *Ger.* *Long leaved Sage of Jerusalem: Found by Mr. Goppyer in a Wood, in the new Forest in Hampshire.*

Pulmonaria Gallorum, flore Hieracii, *Lob.* *Gallica*; sive *aurea angustifolia* *Ger. emac.* *The lesser French or Golden Lungwort.*

Pulmonaria Gallorum Hieracii flore, sive *aurea latifolia*, *Ger. emac.* **Auricula muris major**; *Trag.* **Corchorus**, *Dalesch.* *French*

or Golden Lungwort : About Godliman in Surry.

Pulmonaria maculosa Ad. Lob. Clus. *Symphytum maculos.* Spotted Cowslip of Ierusalem: Near Kings-wood in Hampshire. Mr. Loggins.

Pulsatilla flore pleno. Double Passe-flower.

Pulsatilla rubra, Ger. Red Passe-flower. On a Heath towards Barneck three miles from Stanford, where there are tenne thousand of these plants. Dr. Bowle.

Pulsatilla vulgaris, Lob. Ger. *Herba venti*, Trag. *Anemone Limonia*, & *Samolus Plinii*, Dalechamp. Purple passe-flower at Hildersham six miles from Cambridge.

Pyrola Alfine flore *Europæa*, Bauhini, *Herba trientalis*, Cor. *Alpinanthemos*, Thal. Bastard Winter greene. It growes in the Woods and the shadowie places of Mountaines, both in Wales and Scotland.

Pyrus syl. The wild hedge-Peare-tree.

Pyrola vulgaris, Lob. Clus. Ger. *Winter Green*. It growes in Landsdale and Craven as Gerard affirms. And also in a Bogge, by Roscre in the Kings County. Mr. Heaton.

Q.

Quercus vulgaris. *The Oak tree.* Uvæ Quercinæ, *Bauh.* Ger. Ad Quercus radices.

Quercus marinæ variæ species. *Divers sorts of Sea-Oake, or Wrack.*

Quinquefolium, Vide Pentaphyllum.

R.

Ranunculus Alpinus alb. *Ger. White mountain Crow-foot.*

Ranunculus Apii folio, vel palustris rotundiore folio; *Lob. Herba Sardoa, Guiland.* Ranunculus strumea & Apiastrum, *Plinii.* *Marish Crow-foot, or round leaved Spear-wort.*

Ranunculus aquatilis; *Dod. Ger. Aquat. hepaticæ facie; Lob. Polyanthemum aquaticum vel palustre; Dod. Water Crow-foot.*

Ranunculus arvensis echinatus, *Bauh. Arvorum, Lob. Ger. Inter segetes. Rough headed Crow-foot.*

Ranunculus aquatilis angustifolius, *Lob. Flammeus minor, Ger. Flammula, Dod. In uliginosis & stagnantibus aquis. The lesser Spear-wort.*

Ranunculus aquatilis angustifolius ferratus, Lob. **Flammeus ferratus**, Ger. **Flammula ferrato folio**, Dod. **Jagged Spearwort**.

Ranunculus aquaticus hederaceus luteus, Bauh. **Hederaceus**, Dalechamp. **Lugd. Ivy-leaved water Crow-foot**.

Ranunculus aquaticus lanceatus major, Tab. **Flammeus major**, Ger. **Cum prioribus**. **Great Spearwort**.

Ranunculus auricomus, Lob. **Dulcis**, Trag. **In pratis & dumetis**. **Goldyllocks**, **Crow-foote**, **Butter-flower**, or **Butter-cup**.

Ranunculus bulbosus, Lob. Ger. **Tuberosus**, Dod. **In pratis**. **Round rooted Crow-foote**.

Ranunculus minimus Septentrionalium herbido muscoso flore, Lob. **Radix cava minima**, Ger. **In dumetis**. **Dwarf Crow-foot**, or **small Bunikins Holwortell**.

Ranunculus montanus, Cam. **Globosus**, five **flore globoso**, Dod. Ger. **Trollius flos Gesn.** **Globe Crowfoot**, **Troll flowers**, **Lockron gowlans**: **In divers places of Yorkshire and Lancashire**.

Ranunculus parvus echinatus; Ger. **emat. Apuleii**, **Quibusdam**, **Clusii**. **In locis humidis**. **Little rough beaded creeping Crow-foot**.

Ranunculus pratensis erectus dulcis, Bauh. **Chry-**

Chrysanthemum simp. Fuch. Variat aliquando flo. multiplici. *Gentle Crow-foot with single and double flowers.*

Ranunculus pratensis hirsutus, reptante cauliculo, Lob. Pratenfis etiamque hortensis, Ger. Common Crow-foot, or Butter cups.

Ranunculus pratensis maculatus, surrectis cauliculis, Lob. Ger. Tall Meadow Crow-foot.

Raphanus aquaticus, Tab. Ger. Foliis in profundas lacinias divisis, Baub. Cut-leaved Water Radish.

Raphanus aquaticus alter foliis minus divisis, Rapisstrum aquaticum, Tab. Ger. Water Radish with lesse cut leaves, Water Chadlock.

Raphanus rusticanus, Offic. In locis quibusdam, ubi ex hortis radicum particulæ projectæ fuerunt. Horse-radish.

Rapisstrum alterum foliis minus incis glabris, Lampsana, Matth. In agris & ad eorum margines. Great Charlock.

Rapisstrum arvense alterum. Ger. Another wild Charlock.

Rapisstrum arvorum; Lob. Ger. Sinapi agreste. 4. Trag. In agris. Charlock or Chadlock.

Rapisstrum flore albo erucz foliis, Lob. Raphanus

phanus sylvestris, Ger. Inter segetes. *Wild Radish.*

Rapum Genistæ, V. Orobanche.

Rapunculus esculentus vulgaris, Park. *Great Rampion.*

Rapunculus nemorosus, Ger. *Wood Rampion.*

Rapunculus spiratus alopecuroides, Park. *Long Foxtail Rampions.*

Rapuntium corniculatum montanum; Col.

Rapunculus corniculatus montanus, Ger. *emac. Horned Rampion; It grows plentifully between Selbury hill and Beacon hill in the way to Bathe.*

Rapuntium parvum, Lob. Ger. Rapunculus minor, Matth. Dod. Ad sepēs & in viridariis. *Little Rampion.*

Regina prati, Vide Ulmaria.

Releda maxima, Ger. *Crambling Rocket.*

Releda vulgaris, Eruca peregrina, Italica vel Cantabrica, Lob. In montosis. *Italian Rocket.*

Resta Bovis; V. Anonis.

Rhamnus catharticus, sive Spina insectoria, Matth. Lob. Spina cervina Gesn. In sepibus & dumetis: *Buck-thorne.*

Rhamnus secundus, Matth. Clus. Ger. Oleaster Germanicus, Cordi. Ramnus primus. Diosc. Adver. Lob. *Swallow Thorn. On the Sea Coast. Park. pag. 1008.*

Rhodia

Rhodia (vel **Rosea**) radix, *Math. Lob. Dod.*
Ger. In præruptis montium jugis. **Rose-**
Wort, or **Rose-root**.

Rorella foliis rotundis, five **Ros solis folio**
 rotundo, *Ger.* In uliginosis: **Sun-dew**, **Rosa**
solis, **Red-rot**.

Rorella five **Ros Solis** foliis oblongis; cum
 priore. **Sun-dew**, or **Rosa solis** with longish
 leaves.

Ros solis syl. longifolius. Long-leaved **Rosa**
solis: Plentifully in a Bogge by Edenderry.
 The leaves are above a span long. I gave
 some of the Plant to Zanchie! Syllard, Apoth.
 of Dublin, which he sent to Mr. Parkinson,
 who in his description mentions the said
 Zanchie as if he had found it. Mr. Heaton.
 In England also by Ellesmeere in Shropshire,
 Dr. Coot.

Rosa flore albo pleno, *Ger.* In the hedges of
 Lancashire. The double white Rose.

Rosa sylvestris odora Eglenteria. Sweet
 Briarbusb: Grows wild in divers hedges
 by Darfield, but with more smooth shining
 leaves then the Garden kind; This is like
 that of Park, pag. 1017. But that the leaves
 are sweet as well as the flower. Mr. Stone-
 house.

Rosa sylvestris, *Math. Dod.* **Cynosbatos**,
Dioscorid. Adver. **Cynorrhodos**, *Plinii*,
Canina, *Cam.* In sepibus & dumetis.

The

The Briar-bush, or Dogges-rose.

Rosa sylvestris odorato carneo flore. Park.

The wild bluish Briar Rose.

Rosa sylvestris pomifera, Lob. Rosa arvina,

Tab. Pimpinellæ folio, Ger. In sterilibus pascuis. Pimpernell Rose.

Rosmarinum sylvestre minus, Cam. Epit. &

Cistus Silesiacus, Clus. Chamærododendros

Alpina angustifolia, Tab. Wild Rosemary :

In great quantity at Birch in the Woods of Ellesmere in Shropshire. Dr. Bowle.

Rubeola arvensis repens cærulea, Baub. Ru-

beola arvensis, Cam. Inter segetes. Little field Madder.

Rubia cynanchica, Baub. Synanchica, Lugd.

Saxifraga Anglica, Adversar. In collibus

ficcioribus & cretaceis. Squincy-wort, small

English Saxifrage.

Rubia major, Erythrodanum, Rubia

tinctorum, Offic. Madder : At St. Vincents

Rock nigh Bristow, and in the hedges about

Ruhland in Wales.

Rubia marina, Ger. Sea Madder.

Rubia minima saxatilis, Lob. Ger. Dwarf

Madder.

Rubia sylvestris lævis, Rubia fyl. Matth.

Fuch. Lob. Passim in sepibus. Wild Mad-

der.

Rubia sylvestris long. foliis, Park. Wild Mad-

der with long leaves.

Rubus

Rubus Idæus vulgaris, *Clas. Lob. Ger. Respas:*

This grows in many places of the North and of *Wales*, and as common as *Brambles* in the Woods of *Chesham-Boys* in *Buckinghamshire*, and elsewhere in the South.

Rubus *repens* fructu casto, . *Bauh.* **Rubus humilis**, *Trag. Minor, Dod.* In dumetis & sylvis. *Small Bramble, Dew-berry-bush.*

Rubus vulgaris fructu nigro, In sepibus & dumetis. *Bramble bush, or Blacke-berry bush.*

Ruscus, Bruscus, Oxymyr sine, In sepibus & dumetis. *Butchers broome, Bruscus.*

Ruta Muraria; Vid *Adiantum album.*

Ruta pratensis; Vid. *Thalictrum.*

S.

Sagitta major, *Matth. Dod. Sagittaria aquatica, Plinii, Pistana Magonis, Lob.*
In aquis. *Broad Arrow-head.*

Sagittaria five **Sagitta minor**, *Matth. Lob. Dod.*
Small Arrow-head.

Saginæ Spergula, *V. Spergula.*

Salicornia, *V. Kali majus.*

Salix angustifolia pumila; In uliginosis.
Dwarf-Willow.

Salix caprea latifolia. *Broad, or rather long leaved Sallow.* Salix

Salix caprea rotundifolia, Tab. Ger. Round leaved Sallow.

Salix folio laureo, five lato glabro odorato folio, nondum descripta. *Willow-Bay*: At *Wolverhampton*.

Salix humilis angustifolia, αἶσος Theophr. *Viminalis*, Dod. *Amerina*, Plin. *The Oyster*.

Salix humilis minor repens. Dr. Johnsons *Ms.* *Creeping Dwarf Willow*. In ericetis.

Salix humilis Saxatilis, five *Chamæitea repens montana rotundifolia*. Round leaved Mountain Willow.

Salix latifolia humilis, Ger. *Pumila*, Taber. Cum priore. *Dwarf Willow*.

Salix rosea Anglica. *Rose Willow*: In many places of *Cambridgeshire*.

Salix vulgaris arborescens longis angustis foliis. *Common Willow*.

Salvia agrestis, *Salvia bosci*, *Scorodonia*, In sylvis & dumetis. *Wood Sage*.

Sambucus aquatica, Matth. Trag. Lob. In sylvis humidis. *Water Elder*.

Sambucus vulgaris: In sepibus. *Elder*, Hiller, *Bore-tree*.

Sanicula vulgaris, *Diapensia*, Matth. In sylvis. *Sanicle*.

Saponaria, Lob. Dod. Ger. *Struthium fativum*, Fuch. In sylvis humidis. *Sopewort*.
Saponaria

Saponaria folio concavo, five Gentiana concava; *Ger. Hollow Feltwort or Sopewort : In a Wood neer Lichbarrow in Northamptonshire.*

Satyrium basilicum, i. Orchis palmata.

Saxifraga alba, *Fuch. Dod. Ger. In locis aridis. White Saxifrage.*

Saxifraga Anglica, *Adverj. V. Rubia cynanchica.*

Saxifraga Anglicana alsinefolia, *Ger. emac. In locis montosis sterilibus, & etiam muris. Pearle-wort, Chickweed, Breakstone.*

Saxifraga Anglica umbellata, five facie Sefeli pratens. *Lob. Common Saxifrage.*

Saxifraga aurea; *Dod. Ger. Chrysosplenium, Tab. In aquosis & umbrosis. Golden Saxifrage.*

Saxifraga palustris alsinefolia, *Ger. emac. vid. Alsine tenuiss.*

Scabiosa major vulgaris. *Variat floris colore, caruleo, aut albo; In fatis & pratis. Common Scabious.*

Scabiosa minor, five Columbaria; *variat floris colore. In montosis. Small Scabious.*

Scabiosa minor five ovilla, *Cam. Dod. Media, Lob. Rapuntium alterum leptophyllum capitatum, Col. Invenitur flore albo. In montosis. Sheeps Scabious.*

Scandix

Scandix; V. Peſten Veneris.

Scolopendria, v. Ceterach & Phyllitis.

Scordium, Matth. Dod. Ger. & Trixago palustris, Lob. Scordium, or Water Germander: On the Banks in the Ile of Ely you may meet it.

Scorodoprasum, Dioscorid. Trag. Matth. Great Mountaine Garlick: In the West of England: Ger. pag. 182.

Scrophularia flore luteo. Lamium pannonicum, 2. Clusii, pannonicum alterum, five exoticum, Eid. histor. Scrophularia montana maxima. Co'. Brownwort with yellow flowers: In Oxefordshire.

Scrophularia major, Lob. Ocymastrum alterum, Trag. In sylvis humidis. Brownwort.

Scrophularia minor, Vid. Chelidonium minus.

Secale; seritur in agris. Rye.

Sedum, Aizoon, Sempervivum majus vulgare; In antiquis muris & tectis. Great Houseleeke, or Sengreen.

Sedum, five Aizoon Scorpoides, Lob. Ger. Etiam in tectis. Scorpion Sengreen.

Sedum Alpinum, i. Clusii, Ger. emac.

Sedum Alpinum flore pallido. Bauh. Small Sengreen of the Alpes.

Sedum Alpinum laciniatis a jugæ foliis, Park. Small

(III)

Small Mountaine Housleeke with Jagged leaves.

Sedum aquatile, Vide, Militaris aizoides.

Sedum majus Portlandicum arborescens Anglicum, five maritimum. Adv. pag. 162.

Great Sea Housleeke.

Sedum medium teretifolium, Lob. Ger. In rectis. Small Prick-madame.

Sedum five sempervivum minimum acre. Illecebra, Offic. Sedum, 3. Diosc. In muris, rectis, locis asperis & maritimis. Stonecrop, Wall-Pepper.

Sedum minus, flore albo. Vermicularis, Crassula minor, Offic. & Illecebra major, Lob. In locis saxosis & asperis. White flowered Prick-madame.

Sedum minus flore albido, five Alpinum, 3. Clus. Ger. Emac. White Sengreen of the Alpes.

Sedum minus hamatoides, Ger. Prick-madame.

Sedum ferratum, five Umbilicus Veneris, alter. Matth. Cotyledon altera, 4. Clus. Hist. The Princes Feather.

Sedum tridactylites five Alpinum trifido folio, Bauh. Sedum minus decimum tertium, Clus. Hist. Handed Housleeke or Sengreen: All these Seda or Sengreens grow on the Rocks of the high Mountaines in Wales.

Selinum

Selinum Sii foliis, Ger. *emac. Hone-wort.*

Senecio, five *Erigeron tomentosum*, Ger. *Ad agrorum margines. Cotton Groundsell.*

Senecio, five *Erigeron tomentosum alterum.*

Senecio, five *Erigeron vulgare*, Carduncellus, Ubique; *Groundsell.*

Senecio major, Matth. V. *Jacobæa.*

Serapias, V. *Orchis Palmata.*

Serapias cariophyllata; *Sweet smelling Clove Satyrion*, or *Sweet smelling Orchis.* Dr. Johnsons Ms.

Scriphium, vid. *Absinthium marinum.*

Serpentaria omnium minima, Lob. Dod.

Coronopus five *Serpentina minima*, Ger. In maritimis. *Small grasse Plantaine.*

Serpentina, Matth. *Coronopus*, Ger. *Cunipriore.* Sea Buck-horne, or grasse Plantaine.

Serpillum alterum citratum, Matth. Tab. Ger. *Emac. In Montosis. Lemon Thyme.*

Serpillum hirsutum, Ger. *Emac. five Serpillum Pannonicum*, 3. *Clusii, Hist. In montosis & asperis. Hoary Wild Thyme.*

Serpillum vulgare, *Sarxifraga*, Dod. Ubique in montosis. *Wild Thyme*, mother of *Thyme.*

Serpillum vulgare majus flore albo, Park. *Wild Thyme with white flowers: Sp Tisbury in Wiltshire.*

- Serpillifolia, *Bauh.* V. *Alfine palust.*
 Serratula, *Matth. Dod. Lob. Ger.* Centauroi-
 des, vel *Centaureum majus* syl. Germa-
 nicum, *Thal.* Variat flore albo, In sylvis.
Saw-wort.
 Sideritis arvensis. *Cam.* V. *Laudanum sege-*
tum.
 Sideritis alt. *Diosc.* Est *Pimpinella Sanguiforba.*
 Sideritis Heraclia, vel 1. *Diosc. Col. Stachys,*
Fuch. Ger. Pseudostachys, Matth. Wild
stinking Horehound or great Horehound: Righ
Watney Parke in Oxfordshire.
 Sideritis humilis lato obtuso folio, Sideri-
 tis *Alfines Trifraginis folio, Bauh.* Inter
segetes. Petty All-heal.
 Sideritis lutea. *Yellow Iron-wort: Found in*
Lankashire. Mr. Stonehouse.
 Sideritis, 1. *gravis odoris, Thal. Panax Co-*
loni & Marrubium aquaticum acutum,
Ger. Stachys palustris, Gesn. Cam. aquat.
Tab. In locis humidis, etiamq; in arvis.
Clownes All-heal.
 Sideritis, 3. *Diosc. Sanicula.*
 Sigillum B. Mariz: V. *Bryonia nigra.*
 Sigillum Solomonis: V. *Polygonatum.*
 Sinapi sativum vulgare; Ad agrorum mar-
 gines. *Common Mustard.*
 Sinapi sem. albo, Sinapi Apii, five *Lavaris fo-*
lio, Lob. Sativum alterum, Dod. Ad sepes.
White Mustard. I Sinapi

Sinapi syl. minus *Bursz pastoris folio*, *Lob.*
Sinapi, 3. *Math. Irrio Apulus alter laxifol-*
lio Erucæ, Col. Ad agrorum margines.
Small wild Mustard.

Sison Cordi, *Petroselinum Macedoni-*
cum, Fuch. Dod. **Amomum Germanicum**,
Trag. Ad fossas & sepes. *Bastard stone Pars-*
fley.

Sium Cratevz Erucæfolium, *Lob.* **Nastur-**
tium aquaticum, *Offic.* *Common water Cress-*
ses.

Sium aliorum Olusatris facie, *Lob. Ger.*
emac. In piscinis & stagnantibus aquis
 sed rarius. *Long leaved Water Cress-*
ses.

Sium erectum umbellatum sive **Pastinaca a-**
quatica, *Lob. Sium, Matth. Odoratum, Trag.*
 In rivulis, *Water Parsnep.*

Sium majus latifolium, *Ger.* *Great Water*
Parsnep: By Redding.

Sium pusillum foliis variis nondum de-
 scriptum: in aquis. *Small water Pars-*
fley.

Sium umbellatum repens, forte **Sium**,
Matthioli, Lugd. In aquis ubique. *Creep-*
ing water Parsnep, or Bastard water Cress-
ses.

Smilax lævis, *vid. Convolvulus major.*

Solanum sive **Solatrum**, vulgare, hortense,
Math. Doit. Lob. In fimeris, Night-shade.

Solanium

Solanum lignosum five *Dulcamara*, *Dod.*
Trag. *Vitis* syl. *Math.* In sepibus. *Woody*
Night-shade, *Bitter-sweet*.

Solanum lignosum flore albo. In a lane go-
 ing from *Tubny* to *Newbridge* in *Barkeshire*.
Mr. Stonehouse.

Solanum somniferum, *Lob.* *Lethale*, *Dod.* *Bel-*
la donna, *Italerum*. In locis umbrosis.
Deadly Nightshade, or *Dwale*.

Solanum tetraphyllum, vid. *Herba Paris*.

Solanum vesticum *Halicacabum* *Trag.* *Al-*
kekengi, *Lon*: Hath been observed by *Mr.*
Jervase Dickson a *Physician*, in an hedge by
Bently near *Doncaster* in *Yorkshire*, and by
Mr. Parker of *Stochport* in *Cheshire* in seve-
 rall places of that Countrey, &c.

Soldanella *Koch* in *Botanica* *Diase*. In marci-
 mis. *Sea Binde-weed*, *Sea Cole*, *Soldanella*,
Scottish Scurvy-grasse.

Soldanella Alpina major. *Mountain Binde-*
weed, *Peer Caters Speere* in *North*
Wales.

Solidago Saraceni, *Trag.* *Fuch.* *Dod.* *Lab.* *Ger.*
Consolida aurea, *Tab.* *Virga aurea*, *Gesn.*
Hort. *Saraceni* confound: On the side mile
 Bank neere *Whitlesea* and between *Dud-*
son and *Guarthlow*. *Dr. Bowle*.

Sonchus arborescens, *Tab.* *Ger.* Inter se-
 getes & in locis humidis. *Tree-Sow-*
Thistle.

Sonchus alter folio finuato hederaceo, Lob. Lævis muralis, Ger. emac. In umbrosis & muris. Wall, or Ivy-leaved Sow-Thistle.

Sonchus asper, Ger. Lævis, Lob. In agris & ad sepes. Lesse Prickely Sow-Thistle.

Sonchus asper vulgi, Lob. Sonchus asperior, Ger. In agris, Prickly Sow-Thistle.

Sonchus elegans flore albo medio luteo. It grows among Weeds in Yorkshire and Cheshire. Mr. Stonehouse.

Sonchus lævis angustifolius, Matth. Narrow leaved Sow-Thistle. Dr. Johnsons Ms.

Sonchus lævis latifolius, Ger. Cum priore. Broad leaved Sow-Thistle.

Sonchus levis laciniatus vulgaris, Lactuca leporina, Lob. Inter olera & in agris. Common Sow-Thistle.

Soon-a-man-meene : In English, The juyce of a faire Woman: In a Wood neer Eddenderry. I referred it to the Rubus Saxatilis. But the berries of this Plant were yellow. Mr. Heaton.

Sophia Chirurgorum Dod. Lob. Nasturtium, syl. Fuch. Thaliectrum, Tab. Ad agrorum margines. Flixe-weed.

Sorbus Aria cognominata, Clus. Sorbus pilosa, Gesn. Aria Theophrasti, effigie Alni, Lob. In montosis. The white Beame-tree.

Sorbus

Sorbus sylvestris Alpina, Lob. Ornaus, Dod.
Fraxinea arbor, Trag. *Sorbus aucuparia*,
Quorund. In sylvis & sepibus. *Quicken-tree*,
Roane-tree, *Wild Service*.

Sorbus sylvestris Anglicus. Red Chesse Apples
 and Sea Oulers : In *Wetherlake Parke* in
Westmerland, Park. pag. 1421. Is no other
 then downy leaved Sorbe, which growes
 plentifully in Henly Woods, Kent, Hamp-
 sted Heath, it was sent unto Mr. Bradshaw
 out of *Westmerland* as a rare Plant.

Sorbus torminalis, Plinii, Matth. Dod.
 Lob. In sylvis & sepibus. *Common Service-*
tree.

Sparganium minimum, Park. The least Burre
 Reede.

Sparganium ramosum, Matth. Lob. Ger.
Platanaria, Dod. In aquis stagnantibus &
 paludosis. *Burre-flagge*, or *Branched Burre-*
Reed.

Sparganium non ramosum five *latifolium*,
 Ger. Great water Burre-reede. Dr. Johnsons
 Mf.

Spartum nostras parvum, Lob. In ericetis &
 montosis. Heath Mat-weed.

Spartum nostras alterum, Lob. *Spartum An-*
glicanum, alterum, Ger. In maritimis. Smal
Mat-weed or *Helm*.

Spartum spica secalina, five *spartum An-*
glicanum, Ger. Gramen sparteum. 2. Scre-
 I 3 nanthinum

pamkinum, Tab. Great English Mat-weede,
or Hettie. At Marshalline in Norfolk.

Spacula fortida, vid. *Xyris*.

Speculum Veneris, Ger. *Onobrychis* & *Campanula arvensis minima*, Dod. *Viola arvensis* & *pentagonia*, Tab. Venus looking-glasse or Corne Violet. This is said to grow amongst the Coene at Greenwich and Dartford by Gerard, and about Lilly in Hertfordshire by Park. pag. 1331.

Speculum Veneris minus, Ger. *emac.* Inter segetes. Coddled corn violet.

Spergula flore rubro: *Alsinæ spergulae facie minor*, Bauh. In locis arenosis & sterilibus. Chick-weed, Spurry, Red Spurry.

Spergula marina, Lagd. *Anthylloides ad salinas saxonicas*, Thal. *Alsinæ maritima Neapolitana*, Col. Sea Spurry.

Spergula vulgaris flore alb. five *Saginae Spergula*, Lob. *Anthylloides*, Thal. *Alsinæ terrestris altera* *recondita*, Col. In agris frumentaceis. Spurry.

Sphondylium vulgare hirsutum, *Acanthus Germanica*, five *vulgaris*, Fuch. *Branca trifida*, Trag. In prat. Cow Parsenep.

Sphondylium majus aliud lacinatis foliis. Tagged Cow Parsnep: Found by Dr. Bowle in Shropshire. Park. pag. 954.

Spina

Spina insectoria, vide *Rhamnus*.

Spongia ramosa, *Ger. emac.* *Conservæ marinæ* genus, *Lob.* *Branched Sponge*.

Stachys, vid. *Sideritis*.

Stella leguminosa, *Lob. Ger.* *Vicia sesameacea* *Apula*, *Colum.* *Starry kidney Vetch*, or *Starre-Pulse*. In many places, *Parkin.* 1095.

Stellaria aquatica, *Lob.* *Alfine aquat.* *Lugd.* *Starre headed water Chick-weed*.

Staphilodendron, *Plinii*, *Matth. Lob.* *Pistachia Germanica*, *Lam.* *Nux vesicaria*, *Trag. Dod. Ger.* *The Bladder Nus.* In some Woods on the further side of *Yorke-shire*.

Stratiotes potamejos, vid. *Militaris aizoides*.

Succisa, vide *Morsus Diaboli*.

Synanchice, *Dod.* vid. *Rubia cynamchica*.

Symphytum, 1. *Consolida*.

T.

T'*Anacetum vulgare luteum*, *Artemisia monoclonos* five *tenuifolia*, *Fach. Artemisia*, *Dioscorid. Tab.* In arenosis & rivulorum ripis. *Tansie*.

Tapsus barbatus, *Offic.* *Candela regia*, *Verbascum* aut *Phlomos vulgaris mas.* *Dio-*

scoridis, Lob. Ad sepes & agrorum margi-
nes, *Hightaper*, *Mulleine*.

Tapſus barbatus flore albo, Ger. *White flow-
red Mulleine*. Cum priore.

Taxus Σμιλαξ Dioſc. *Μιλὰ* & *Theoph*. In cœmi-
teriis. *The Yew tree*.

Telephium purpureum majus, Baub. ſive flo-
ribus purpureis, Lob. Ger. In montofis.
Purple Orpine.

Telephium vulgare, *Fabaria*, Matth. Faba
inverſa, *cræſſula major*, Lob. Ad agrorum
margines. *Orpine*, *Live-long*.

Teucrium Alpinum Cifti flore. *Alpine
Germander with a Ciftus flower*: In the
mountaines betwixt Gort and Galloway. It
makes a pretty ſhew in the Winter with
his rough heads like *Viorna*. Mr. Heaton.

Teucrium pratense; vid. *Chamædrys ſyl*.

Thaliſtrum, ſive *Thalietrum*, Lob. Ger. Ru-
ta pratensis, Cordi. Eſt majus & minus: In
pratis humidis, *Baſtard Rubarbe*, *Meadow
Rue*.

Thaliſtrum latifolium Hiſpanicum, Park.
Spaniſh Meadow Rue: *Peete Marget*.

Thlaſpi Dioſcoridis, *Drabæ* aut *Chamelinæ*
folio, Lob. Ger. Inter ſegetes. *Treacle Mu-
ſtard*, *Penny-creſſe*.

Thlaſpi hederaceum, Lob. Ger. emac. In mari-
timis. *Ivy-leaved Muſtard*.

Thlaſpi majus, Tab. Ger. *Knaveſ Muſtard*.

Thlaſpi

Thlaspi minus, Lob. Ger. Minus Germinicum, Tab. Nasturtium Syl. Thal. In maritimis. Bowyers Mustard, or Bastard Cresses.

Thlaspi vulgare, Offic. Vaccariæ folio, Lob. Ad agrorum margines, & inter segetes. Mithridate Mustard, Bastard Cresses.

Tilia fœmina (folio majore, Bauh.) Matth. Dod. Lob. Ger. In arcis & compitis. The Linden or Limetree.

Tilia syl. Trag. Minor, Gesn. In sylvis & sepiis. The wild or lesser Linden or Lime tree.

Tithymalus characias amygdaloides, Lob. Ger. In sylvis. Wood Spurge.

Tithymalus characias secundus rubens peregrinus, Bauh. The strange red wood Spurge, of Bauhine. Mr. Sare.

Tithymalus helioscopius; Fuch. Matth. Lob. Ger. In agris. Sunne Spurge.

Tithymalus Hibernicus.

Tithymalus linifolius, Cam. Flax Spurge. Between How and Rochester.

Tithymalus leptophyllos, vid. *Esula exigua*.

Tithymalus paralius, Lob. Ger. In maritimis. Sea Spurge.

Tormentilla, Offic. Et *consolida rubra*, Tab. *Heptaphyllum*, Fuch. In ericetis & dumetis. Tormentill. Trachelium

Trachelium majus Belgarum, Lob. Et *Giganteum* Ger. *Giant Throat-wort*, or *Bell-flowers*: In divers places of *Yorkshire*.

Trachelium majus, five *Cervicaria*, Lob. *Uvularia major*, Trag. Variat flore albo: nascitur in sepibus. *Great Throat-wort*, or *Canterbury Bells*.

Trachelium minus, Lob. Dod. Ut etiam *Viola Calathiana*, Ger. *Cervicaria minor*, Tab. *Uvularia exigua*, Trag. In montosis & aridis cretaceis. *Little Throat-wort*, or *Canterbury Bells*.

Tragon, Matth. vid. *Kali spinosum*.

Tragopogon luteum five vulgare, Lob. *Barbula hirci*, Trag. Matth. In pratis. *Goats-beard*, Go to bed at noon.

Tragopogon minus angustifolium. Ger. *Little narrow leaved Goats-beard*.

Tragopogon purpureum, Ger. *Purple Goats-beard*: On the Banks of the *Riber Chalde* neere to the *Lady Hescaths house* two miles from *Whaley*, and by *Newnam* in *Glocestershire*.

Tragopyron, vid. *Fegopyron*.

Tragoriganum, Dod. Ger. *Goats Majoram*, *Peet Cobham house* in *Kent*.

Tribulus aquaticus minor *Muscatella floribus*, Ger. *emac.* In rivulis. *Small Frogges Lentice*.

Tribulus aquaticus minor quercus floribus, Clusii,

Clusii, Ger. emac. Pusillum fontilapathum,
Lob. In stagnantibus aquis. Small water
Caltrops, or Frogges-lettice.

Tribulus terrestris, Matth. Dod. Lob. Ger. Land
Caltrops: In a moist Meadow by Croy-
don.

Trichomanes, vide Capillus Veneris.

Trichomanes ramosum, Tab. Ger. Branched
Mayden-haire: In Devonshire. Mr. Heaton.

Trifolium acetosum flore rubro: Chetp
lobete in Cheshurst. Dr. Bowle.

Trifolium acetosum vulgare, Lujula Alle-
luja, Offic. Oxys, Plinii, Fuch.; Dod.
Panis Cuculi, Brunfelsii: In sylvis. Wood
Sorrell.

Trifolium aquaticum, sive paludosum, Lob.
Ger. Fibrinum, Tab. Isopyron, Dod. Gesn.
Menianthes palustre Lugd. Maris Trefoile,
Bucks Beanes.

Trifolium cochleatum follo cordato macu-
lato, Bauh. Cordatum, Ger. Medica Arabi-
ca, Cam. In pratis. Hare Trefoile, or spotted
Snail Trefoile.

Trifolium corniculatum glabrum surre-
ctum angustifolium, nondum descriptum.
Smooth upright narrow leaved Birds-foot Tre-
foil.

Trifolium corniculatum majus hirsutum:
In pratis humidis & ad sepes. Great coddled
Trefoile, hairy Birds-foot Trefoile.

Trifolium

- Trifolium corniculatum* primum, *Dod. Thal.*
Siliquosum minus, *Tab. Ger.* In pratis.
Small codded Trefoile, *Birds-foote*, *Tre-*
foile.
- Trifolium flore albo rotundo capite.* Round
headed Trefoile.
- Trifolium flore viridi foliaceo elegans*; In
mine obone Orchard at Darfield. Mr. Stone-
house.
- Trifolium fragiferum*, *Clus. Ger. emac.* Vesi-
carium, *Quorund.* In satis & maritimis.
Strawberry, or Bladder Trefoile.
- Trifolium luteum*, vel *agrarium*, *Dod.* Lute-
um alterum lupulinum, sive *Lupulus syl-*
vaticus, *Thal. Ger. emac.* In agris & pratis.
Hop-Trefoile.
- Trifolium luteum minimum*, *Ger. emac.* Lu-
teum capitulo brevior, *Thal.* *Trifolii*
genus Medicæ simile, *Gejn.* *Medica*
semine racemoso. *Little yellow Tre-*
foile.
- Trifolium majus flore purpureo.* *Ger.* *The*
great Purple Trefoile.
- Trifolium montanum majus.* *Dr. Johnsons*
Mf. The great Mountain Trefoile.
- Trifolium nodiflorum*, vel *juxta folia flo-*
ridum, nondum descriptum, In pratis.
Knotted Trefoile.
- Trifolium odoratum*, *Dod.* Vide *Melilotus*
vulgaris,

Trifolium

Trifolium pratense album, Fuch. Dod.
White flowered Trefoile, or three-leaved
Grasse.

Trifolium pratense purpureum vulgarissimum. *Common Trefoile*, or three-leaved
grasse.

Trifolium pumilum supinum flosculis longis albis, nondum descriptum. In montosis. *White Dwarf Trefoile.*

Trifolium filiqua cornuta, Bauh. *Medica legitima*, Clus. *Fœnum Burgundiacum*, Lob. *Trifolium Burgundiacum*, Ger. *Burgundie Trefoile*, or *Medicke fodder.*

Trifolium syl. luteum filiqua cornuta vel Medica frutescens, Bauh. *Medica flav. flore*, Clus. *Lens major repens*, Tab. In montosis. *Yellow horn Trefoile.*

Trifolium stellatum glabrum, Ger. *emac.*
Smooth starry leaved Trefoil.

Tripodium vulgare, Lob. Ger. *Amelli species palust.* Col. Est majus & minus, in maritimis & ad fluminum ripas. *Sea Star-wort*, *blew Sea Daisies*, *Hogges Beanes.*

Triticum, five *siligo spica mutica*, Lob. Ger. Seritur in agris. *White Wheate.*

Triticum aristis circumvallatum, Typhinum, Dod. Seritur in arvis. *Red Wheat.*

Turritis major, *Turrita major*, Clusii, *Brassica sylvestris ramosa tota pene glabra*; *Eaub.*

Bauh. Brassica syl. prosera, Thal. Towers Mustard; It growes a little on this side the first gate one passes through, after they are down Beacon hill, going from Marlborough towards Bath.

Turritis minor, Lob. Turritica vulgarior, Clusii, The lesser Towers Mustard; In a lane between Wulwich and Carleton.

Tussilago, Bechion, Farfara, Ungula caballina; In locis humidis. Colts-foot, Foales-foot.

Typha palustris Cord. Dod. Cetti-Tails, Reed-mase. Variat magnitudine, *Ger. emas. Lit. B. sis legimus.* When the gut called intestinum cecum falleth into the Coils. Error. Nam ex intestinis solum Ileum in Scrotum dilabitur.

V.

Vaccinia nigra, *Dod. Myrtillus, Math. Vitis Idæa vulgaris, Clus. Idæa, 1. Tab. In ericetis & montosis; Black-worts, Wattle or Hurtle-berries.*

Vaccinia nivalis, Ger. & Chamaemorus e-jusdem & Clus. Knot-berry, and Cloud-berry: On the tops of the high Mountaines both in the North and in Wales.

Vaccinia palustris, Dod. Lob. Ger. Oxycoc-cum,

cum, *Cordi*, *Vitis Idza*, 2. In palust. *Clus.*
Acinaria palustris & *Serpillum acina-*
rium, *Gesn.* *Marsh Worts*, or *Wortles Moss-*
berries, and *Moore-berries*: On a Bogge
 some two miles from *Lynn* in great plen-
 ty.

Vaccinia rubra, *Dod. Lob.* *Vitis Idza buxeis*
foliis, *Clus.* *Myrtillus exigua*, *Trag.* *Red*
Wortle, or *Hurtle berries*. In the wild
 Woodes of *Northumberland*, and the like
 places.

Valeriana, five *Phu majus syl.* *Dod.* *palu-*
stris. *Can.* In rivulorum ripis. *Great water*
Valerian.

Valeriana petrea *Ger.* Inter segetes. *Stene Va-*
lerian.

Valeriana syl. minor. In humidis pratis &
 sylvis. *Small wild Valerian.*

Verbascum; vide *Tapsus barbatus*.

Verbascum femina flore luteo magno, *Bauh.*
Baubines female Mulletne with great yellow
flowers: Found by *Redding* and *Norwich*.
Dr. Johnsons. Ms.

Verbascum lychnite, *Math.* *Candidum fe-*
mina, *Fuch.* In montosis & cretaceis. *Can-*
dle week Mullen.

Verbascum nigrum folio *Papaveris corni-*
culati, *Bauh. Cam.* *Verbascum purpureum*
Erucifolium, *Adv.* *Intybaceum*, *Tob.* In
 pratis & rudibus. *Cat-leaved Mullen.*

Ver-

Verbascum nigrum odoratum, Park. *Sweet black Mulleine.*

Verbascum octavum, Cæs. *Blattaria Phœnicea*, Tab. Flore purpureo, Gesn. hort. Lob. ico. Lugd. Cam. Ger. *Purple moth Mulleine*: *Beer Oxford. Mr. Thomas.*

Vermicularis frutex major, Ger. *emac. Vermiculatæ fruticis varietas major*, Lob. In maritimis. *Tree Stone-crop.*

Verbena communis; ad semitas. *Ver-vaine.*

Veronica fœmina, vid. *Elatine.*

Veronica mas, Dod. Fuch. *Vera & major*, Lob. In ericetis. *Speedwell Fluellin.*

Veronica mas flore albo. *Speedwell with white flowers.*

Veronica recta mas, Lob. Ger. *vulgaris recta*, Clus. *Great Speedwell or Fluellin Found at S. Vincents Rocks by Mr. Goodyer.*

Veronica pratensis, Dod. minor, Tab. *Betonica Pauli*, Quorund. *Little Fluellin or smooth Fluellin.*

Veronica recta minima glabra, Ger. *The smallest Fluellin*: At Barnes neere London.

Viburnum, Matth. *Viurna vulgi Gallorum & Ruellii*, Lob. In sepibus. *Wayfaring tree, Cotten tree.*

Vicia, Tab. vid. *Lathyrus syl.*

Vicia

Vicia dumetorum, vid. *Aracus*.

Vicia maxima sylvatica, nondum descripta,
forte *Vicia maxima syl. Jo. Bauhini*,
Great wood Vetch, or *Fetch*: *In a wood nigh*
Bathe.

Vicia sylvestris flore albo, *Ger. White flowered*
Vetch.

Vicia vulgaris vel fativa. *Common Vetch*, or
Fetch.

Vinca pervinca, *Park. Peere Kingsland go-*
ing into Paradise walk. Periwinkle.

Viola aquatica, vid. *Millefol. aquat.*

Viola Mariana. vide, *Campanula hortensis*
folio oblongo.

Viola Lunar, *Viola latifolia*, *Dod.*
Clus. Ger. Bolbonac vulgarissime. White
Satten: *About Horne-Church in Es-*
sex.

Viola Lunar *longioribus filiquis*, *Ger.*
Long codded white Satten or Honesty: *About*
Watford.

Viola martia palustris, sive *Viola mon-*
tana, *Gesn. Viola martia flore rubro*
purpurascence. Eystet, Red Violets: *Found*
by Mr. Stonehouse in Yorkeshire; *As also a-*
bout Snowden and in divers other places.

Viola Montana flo. luteis, *Lob. Martia lu-*
tea, Ger. Lutea inodora Alpina, Cam. Yellow
Violet.

Viola purpurea, five *Martia vulgaris* ; Sub
sepibus & dumetis. *Purple Violet*, or *March*
Violet.

Viola ferotina, five *canina*. In sylvis & agris.
Late Violet, *Dogges Violet*.

Viola tricolor, *Dod. Clus. Ger. Jacea*, five
flos *Trinitatis*, *Matth.* In arenosis &
sterilibus locis magna harum varietas.
Harts-ease, or *Pansyes* of divers co-
lours.

Viorna vulgi, *Lob. Clusii*, *Clematis*, 3.
Matth. Sepes ornat juxta vias. *Travellers*
Ioy.

Virga aurea Arnoldi Villanovani, *Ger.* In
erictetis & montosis. *Arnold of the New town*
his golden Rodde.

Virga aurea ferratis foliis, *Tab. vel*
margine crenato, *Dod.* Cum priore. *Golden*
Rodde.

Virga pastoris, vide *Dipsacus minor*.

Viscus, vel *Viscum arborum*; nascitur
in *Quercubus*, *Pomis*, *Pyris*, &c. *Mis-*
feltoe.

Ulmaria, *Regina prati* *Dod.* *Barba capri*,
Lob. In aquosis. *Mead-sweet*.

Ulmus folio glabro, *Ger. emac.* In sepibus.
Witch-Elme.

Ulmus folio latissimo scabro : *Ger. emac.*
In sylvis & sepibus.

Ulmus

Ulmus minor folio angusto scabro, Ger. emac. Cum prioribus. The narrow leaved Elme.

Ulmus vulgaris folio lato scabro. The common Elm-tree.

Unifolium, vide Monophyllum.

Umbilicus Veneris, Matth. Scatum cœli Herba coxendicum, Quorund. Cotyledon, Lob. Clus. Navill-wort, Kidney-wort: About Bathe plentifully.

Umbilicus Veneris minor, Ger. Small Navill-wort: Upon Beiston Castle in Cheshire.

Urtica Herculea, Tab. vide Galeoplis.

Urtica non mordax: vid. Lamium.

Urtica minor acrior, Lob. Urens minima, Dod. Small stinging Nettle.

Urtica Romana, Trag. Fuch. Lob. Ger. Prima Dioscoridis, semine Lini. Romane Nettle: About Rumney in Kent. Parkin. Pag. 441.

Urtica vulgaris urens. Trag. Urtica foemina & communis, Dod. Common Nettle.

Vulvaria, vide Atriplex olida.

Uvularia, vide Trachelium.

X.

X Anthium, *Matth. Dod. Tab.* Et Strumaria,
Lob. Arctium & Lappa minor, *Gal.*
 Bardana minor *Ger.* Juxta semitas. *The*
lesser Burre Dock.
Xyris, five spatula foetida, *Matth. Lob. Ger.*
 In sylvis humidis. *Stinking Gladdon.*

Nominum

Nominum citatorum Authorum explanatio.

A Dvers. *Adversaria Petri Pena, & Matthiae de Lobell.*

Anguil. *Aloysius Anguillara.*

Bauh. *Casparus Bauhinus.*

Cam. *Ioachim Camerarius.*

Clus. *Carolus Clusius.*

Colum. *Fabius Columna.*

Cord. *Valerius Cordus.*

Diose. *Dioscorides Anazarbeus.*

Dod. *Rembertus Dodonaeus.*

Fuch. *Leonardus Fuchs.*

Ger. *Iohannes Gerardus.*

Ger. emac. *Gerardus a Tho. Ionsono emaculatus & auctus.*

Ges. *Conradus Gesnerus.*

Lob. *Matthias de Lobell.*

Lon. *Adamus Lonicerus.*

Lugd. *Historia Plantarum Lugduni cusa.*

Matth. *Petrus Andreas Matthiolus.*

Offic. *Officinis usitatum nomen.*

Park. *Iohannes Parkinsonus.*

Plin. *C. Plinius.*

Tab. *Iacobus Theodorus Tabernaemontanus.*

Thal. *Iohannes Thalius.*

Theoph. *Theophrastus Eresius.*

Trag. *Hieronymus Tragus.*

FINIS.

Mendas in transitu observatas sic corrige.

Pag. 3. l 15. Wardour. 7. 18. Charleton. ibid. 24. Cheshurst. ibi. 27. Blechenligh. 8. 17. Cotswould. 10. 29. Childing. 14. 26. Rosz 15. 2. Bottle 16. 3. del. Mr. 23. 6. Carthamus. ibid. 15. Alpina ibid. nutante ibid. penult. Thrift. 24. 13. Castanea 25. 15. Hegberry. ibid. 19 rubr ibid. 27. lib. imo. 30. 23. lavis. 31. 12. Corallium 32. 1. Parthinium ibi. penult. Ley. 44. 4. Staffe 51. 19. Maddenton ibid. 26. Psylli ibid. penult. Ischammon. 66. 6. Lantana 83. 1. Frisia 62. 6. Variat flore albo. ibid. 26. Ornithopora. 90. 6. Periclymenum ibid. 12. spotted 91. 20. Offic. 93. 1. Apulei ibid. 11 Differunt ibid. penult. Pisa hæc sylvestria. 116. 15. del. cum priore. 118. 2. In Norfolk Marhaline. On the further side of the Isle of Tenet.

